

Supplementary Material for:

Laser and electron beam-induced formation of Ag/Cr structures on Ag_2CrO_4

Lemos, P. S.^a; Silva, G. S.^a; Roca, R. A.^a; Assis, M.^a; Torres-Mendieta, R.^b; Beltrán-Mir, H.^c; Mínguez-Vega, G.^d; Cordoncillo, E.^c; Andrés, J.^e; and Longo, E.^{*f}

^a INCTMN-CDMF, Universidade Federal de São Carlos, P.O. Box 676, 13565-905 São Carlos, SP, Brazil.

^b Institute for Nanomaterials, Advanced Technologies and Innovation, Technical University of Liberec, Studentská 1402/2, 461 17 Liberec, Czech Republic.

^c Department of Inorganic and Organic Chemistry, University Jaume I (UJI), Castelló 12071, Spain.

^d GROC•UJI, Institut de Noves Tecnologies de la Imatge (INIT, University Jaume I (UJI), Castelló 12071, Spain.

^e Department of Analytical and Physical Chemistry, University Jaume I (UJI), Castelló 12071, Spain.

^f INCTMN-UNESP, Universidade Estadual Paulista, P.O. Box 355, 14801-907 Araraquara, SP, Brazil.

1. Supplementary image

1. Supplementary image.




Figure S1. Graphical representation of the three-stage contemplated scheme for the microsintring of Ag_2CrO_4 microparticles using fs pulsed laser radiation.