

Supporting Information

Z-scheme photocatalyst systems employing Rh- and Ir-doped metal oxide materials for water splitting under visible light irradiation

Akihiko Kudo,^{1,2*} Shunya Yoshino,¹ Taichi Tsuchiya,¹ Yuhei Udagawa,¹ Yukihiro Takahashi,¹ Masaharu Yamaguchi,¹ Ikue Ogasawara,¹ Hiroe Matsumoto¹ and Akihide Iwase^{1,2}

¹Department of Applied Chemistry, Faculty of Science, Tokyo University of Science, 1-3 Kagurazaka, Shinjuku-ku, Tokyo 162-8601, Japan

²Photocatalysis international Research Center, Research Institute for Science and Technology, Tokyo University of Science, 2641, Yamazaki Noda-shi, Chiba-ken 278-8510, Japan




Figure S1 SEM images of (a) $\text{NaTaO}_3:\text{Ir}(1\%), \text{La}(2\%)$, (b) $\text{BaTa}_2\text{O}_6:\text{Ir}(1\%), \text{La}(2\%)$, (c) $\text{SrTiO}_3:\text{Ir}(0.2\%)$, (d) $\text{NaNbO}_3:\text{Rh}(1\%), \text{Ba}(2\%)$, (e) $\text{TiO}_2:\text{Rh}(0.5\%), \text{Sb}(1\%)$ and (f) $\text{Ru/SrTiO}_3:\text{Rh}(1\%)$.