

Supplementary Material

Microfluidic diamagnetic water-in-water droplets: a biocompatible cell-encapsulation and manipulation platform

Maryam Navi,^{acd} Niki Abbasi,^{bcd} Morteza Jeyhani,^{bcd} Vaskar Gnyawali,^{bcd} and Scott S. H. Tsai ^{*abcd}

^a Graduate Program in Biomedical Engineering, Ryerson University, Toronto, Canada

^b Department of Mechanical and Industrial Engineering, Ryerson University, Toronto, Canada

^c Keenan Research Centre for Biomedical Science, St. Michael's Hospital, Toronto, Canada

^d Institute for Biomedical engineering, Science and Technology (iBEST) – a partnership between Ryerson University and St. Michael's Hospital

Caption of the multimedia file

Supplementary video 01 shows the separation of particle-encapsulating droplets from empty droplets when **(a)** the magnet is not present, and at three different magnet distances **(b)** $y_m = 2.2$ mm, **(c)** $y_m = 1.9$ mm, and **(d)** $y_m = 1.4$ mm.

Supplementary video 02 shows the separation of cell-encapsulating droplets from empty droplets when **(a)** the magnet is not present, and at three different magnet distances **(b)** $y_m = 2.0$ mm, **(c)** $y_m = 1.7$ mm, and **(d)** $y_m = 1.3$ mm.