Synthesis and preliminary anti-inflammatory and anti-bacterial evaluation of some

Diflunisal aza-analogs.

Davide Carta,^{a§} Paola Brun,^{b§} Matteo Dal Pra,^a Giulia Bernabè,^b Ignazio Castagliuolo,^b Maria Grazia

Ferlin*^a


- a) Department of Pharmaceutical and Pharmacological Sciences, University of Padova, 35131
 Padova, Italy.
- b) Department of Molecular Medicine, University of Padova, 35131 Padova, Italy.


[§] These authors contributed equally to this work.


* Corresponding author: mariagrazia.ferlin@unipd.it


Content:


- ¹H NMR spectra of some representative compounds 14, 19, 20, 22, 42, 44, 49, 50, 51, 54
- ¹³C NMR spectra of some representative compounds 14, 19, 20, 42, 49, 50, 51, 54
- 3. Table S1: Predicted LogP for synthesised compounds, and the reference compound Diflunisal
- 4. MIC values for tested antibiotics






























¹H NMR of compound **54**







¹³C NMR of compound **19**






```
<sup>13</sup>C NMR of compound 42
```










Table S1: Predicted LogP for synthesised compounds, and the reference compound Diflunisal, calculated with the software ChemDraw Ultra 8 (2003)

Compound	LogP
Diflunisal	3.19
14	2.24
19	1.96
20	2.95
21	1.96
22	2.67
42	1.96
43	4.06
44	1.96
45	4.06
49	2.67
50	1.84
51	2.28
54	1.6

	S. aureus	S. pyogenes	K. pneumoniae	E. faecium	P. aeruginosa	E. coli
MET	42	32	32	10	32	4
GEN	130	30	8	120	16	2
CPR	17	0.54	0.25	5	0.25	1
ТЕТ	100	10	16	30	20	2
ERY	42	0.23	4	10	2	2

MIC values for tested antibiotics (mcg/mL)