

Hemisynthesis, Computational and Molecular Docking studies of novel Nitrogen containing steroidal aromatase inhibitors: Testolactum and Testololactum

**Shabir H. Lone^{a,*}, Muzzaffar A. Bhat^b, Rayees A. Lone^{c,1}, Salman Jameel^{c,1}, Javeed A.
Lone^c, Khursheed A. Bhat^{*,c}.**

^aDepartment of Chemistry, Govt Degree College Khanabal, Anantnag, Kashmir, India, 192101

*^bDepartment of Chemistry, Islamic University of Science and Technology, Awantipora, Kashmir,
India, 192122.*

*^cBioorganic Chemistry Division Indian Institute of Integrative Medicine, Sanatnagar, Srinagar,
Kashmir, India, 190005*

***Shabir Hussain Lone**

Assistant Professor

Department of Chemistry

Govt Degree College Khanabal, Anantnag, Srinagar, Kashmir, India, 192101

Email: lone.shabir480@gmail.com

***Khursheed Ahmad Bhat**



Senior Scientist



Bioorganic Chemistry Division



Indian Institute of Integrative Medicine, Sanatnagar, Srinagar, Kashmir, India, 190005



Email: kabhat@iiim.ac.in


¹ Both authors contributed equally














HR-ESI-MS OF Testolactum



HR-ESI-MS OF Testololactum



HR-ESI-MS OF Testolactum isomer



HR-ESI-MS OF Testololactum isomer