

A high temperature reversible phase transition in a supramolecular complex of 15-crown-5 with tetraphenylboron sodium

Guo-Jun Yuan,^{*a,b,c} Shao-Xian Liu,^a Zheng-Fang Tian,^d Xiao-Ming Ren,^{*b}

^a Key Laboratory of Advanced Functional Materials of Nanjing, Department of Chemistry, Nanjing Xiaozhuang University, Nanjing 211171, P. R. China

^b State Key Laboratory of Materials-Oriented Chemical Engineering and College of Chemistry & Molecular Engineering, Nanjing Tech University, Nanjing 210009, P. R. China

^c Department of Chemistry, University of California, Riverside, California 92521, USA

^d School of Chemical Engineer, Huanggang Normal University, Huanggang 438000, P. R. China

Tel.: +86 25 58139476

Fax: +86 25 58139481

Email: ahchljygj@163.com (GJY); xmren@njtech.edu.cn (XMR)

Contents

Figure S1 Experimental and simulated PXRD patterns of **1**

Figure S2 TG plots of **1**

Figure S3 Packing diagrams in crystal structure of **1** viewed along (a) c-axis (b) a-axis




Figure S1 Experimental and simulated PXRD patterns of **1**.




Figure S2 TG plots of **1**.




Figure S3 Packing diagrams in crystal structure of **1** viewed along (a) c-axis (b) a-axis.