

Supporting Information

Hierarchical nanostructured MnCo₂O₄-NiCo₂O₄ composite as an innovative electrode for supercapacitor applications

Han-Min Lee,^a Chandu V.V. Muralee Gopi,^{a*} Prem Jyoti Singh Rana,^a Rajangam Vinodh,^a
Sanghyun Kim,^b R. Padma^{c,d} and Hee-Je Kim^{*a}

^a *School of Electrical and Computer Engineering, Pusan National University, Busandaehak-ro 63 beon-gil, Geumjeong-gu, Busan, 46241, South Korea.*

^b *Department of Civil and Environmental Engineering, Pusan National University, Busan 46241, South Korea.*

^c *Department of Physics, Sri Venkateswara University, Tirupati 517 502, India*

^d *School of Mechanical Engineering, Yonsei University, Seoul 120-749, Republic of Korea*

*Corresponding authors. Tel.: +82 51 510 2364; fax: +82 51 513 0212

E-mail: naga5673@gmail.com (C.V.V.M. Gopi); heeje@pusan.ac.kr (H.-J. Kim)




Figure S1. CVs of (a) MnCo_2O_4 (MCO), (b) NiCo_2O_4 (NCO) and (c) MCO-NCO electrodes at different scan rates.




Figure S2. Galvanostatic charge-discharge measurements of (a) MnCo_2O_4 (MCO), (b) NiCo_2O_4 (NCO) and (c) MCO-NCO electrodes at different current densities.




Figure S3. Galvanostatic charge-discharge measurements of (a) MnCo_2O_4 (MCO), (b) NiCo_2O_4 (NCO) and (c) MCO-NCO electrodes at different current densities.




Figure S4. Ragone plot of the (a) MnCo_2O_4 (MCO), (b) NiCo_2O_4 (NCO) and (c) MCO-NCO electrodes.