

Highly Stable and Bright Fluorescent Chlorinated Polymer Dots for Cellular Imaging

Daize Mo^{a,b}, Zhe Chen^c, Liang Han^b, Hanjian Lai^b, Pengjie Chao^b, Qingwen Zhang^{a*},
Leilei Tian^{c*}, Feng He^{b*}

a. Institute of Chinese Medical Sciences, University of Macau 999078, Macao, P. R.
China. E-mail: qwzhang@umac.mo

b. Department of Chemistry, Southern University of Science and Technology,
Shenzhen, 518055, P. R. China. E-mail: hef@sustc.edu.cn

c. Department of Materials Science and Engineering, South University of Science
and Technology, Shenzhen, 518055, P. R. China. E-mail: tianll@sustc.edu.cn




Figure S1 Thermogravimetric analysis (TGA) of **PFDPBT** and **PFDPClBT** at a heating rate of 10 min⁻¹ °C in N₂.




Figure S2 DSC traces for **PFDPBT** and **PFDPCIBT** at a heating/cooling rate of 10 °C min⁻¹ in N₂.




Figure S3 PL spectra of the **PFDPBT** in different solvents with different polarity.




Figure S4 PL spectra of the **PFDPICBT** in different solvents with different polarity.




Figure S5 Cyclic voltammograms of **PFDPBT** and **PFDPICBT** in the thin films drop-casted on glassy carbon electrode at a scan rate of 100 mV/s.