

Supplementary information

Random D1-A1-D1-A2 Terpolymers Based on Diketopyrrolopyrrole and Benzothiadiazolequinoxaline (BTQx) Derivatives for High-Performance Polymer Solar Cells

M.L. Keshtov^{a*}, S.A. Kuklin^a, I.O. Konstantinov^a, I. E. Ostapov^{ab}, E.E. Makhaeva^b, A.Y. Nikolaev^a, Zh. Xie^c, Y. Zou^d and Ganesh D. Sharma^{e*}

^aInstitute of Organoelement Compounds of the Russian Academy of Sciences, Vavilova St., 28, 119991 Moscow, Russian Federation

^bDepartment of Physics of Polymers and Crystals, Faculty of Physics, M.V. Lomonosov Moscow State University, Leninskie Gory 1, 119991, Moscow, Russia

^cChangchun Institute of Applied Chemistry, Chinese Academy of Sciences, Changchun 130022, China

^dCollege of Chemistry and Chemical Engineering, Central South University, Changsha 410083, China

^eDepartment of Physics, The LNM Institute for Information Technology, Jamdoli, Jaipur




Figure S1 ¹H NMR spectrum of random polymer **P11** in CDCl₃




Figure S2 ^1H NMR spectrum of random polymer **P12** in CDCl_3




Figure S3 ^1H NMR spectrum of random polymer **P13** in CDCl_3




Figure S4 ^1H NMR spectrum of random polymer **P14** in CDCl_3




Figure S5 ^1H NMR spectrum of random polymer **P15** in CDCl_3