

Mesoporous TiO₂/SiO₂/Ag ternary composite aerogels for high photocatalysis

Xinfu Zhao *¹, Wei Ju¹, Jian Zhang², Benxue Liu¹, Jing Zhang¹, Xibin Yi *¹

¹Shandong Provincial Key Laboratory of Special Silicone-Containing Materials, Advanced Materials Institute, Qilu University of Technology (Shandong Academy of Sciences), Jinan 250014, P. R. China

²Department of Chemistry and Chemical Engineering, Jining University, Qufu 273100, PR China

*Corresponding author:

Xibin Yi Email: yixb@sdas.org Tel.: +86-0531-82605448

Xinfu Zhao Email: zhaoxinfu@sdas.org Tel.: +86-0531-82605448

Fig. S1 Compression stress-strain curves and the corresponding Young's modulus of S₁, S₂ and S₃.




Fig. S2 EDS pattern of S₂.




Fig. S3 FTIR spectrum of S₂.




Fig. S4 Photoluminescence spectra of P25, TiO₂/SiO₂ composite aerogel, S₁, S₂ and S₃.




Fig. S5 Photocatalytic degradation curves of OTC over P25 and samples with different Ag content.




Fig. S6 SEM images of S_2 before (a) and after (b) eighth cyclic experiments.

