

Electronic Supplementary Information (ESI)

**Ternary semiconductor $Zn_xAg_{1-x}S$ nanocomposites for efficient photocatalytic
degradation of organophosphorus pesticides †**

Dasari Ayodhya*, Guttena Veerabhadram

Department of Chemistry, Osmania University, Hyderabad-500007, Telanagana state, India

*Corresponding author mail: ayodhyadasari@gmail.com

Mobile: 91-9010877323

† Electronic Supplementary Information (ESI) available

Figure S1 The Photocatalytic degradation of (a) MLT, (b) MCP and (c) CPS were traced through UV-visible absorption spectra in the absence of the $Zn_xAg_{1-x}S$ composite photocatalysts

Figure S2 The Photocatalytic degradation of (a) MLT, (b) MCP and (c) CPS were traced through UV-visible absorption spectra in the presence of the $Zn_xAg_{1-x}S$ composite photocatalysts

Figure S3 Effects of the addition of different scavengers on the photocatalytic degradation of (a) MLT, (b) MCP and (c) CPS over ZnS composite photocatalysts

Figure S4 Effects of the addition of different scavengers on the photocatalytic degradation of (a) MLT, (b) MCP and (c) CPS over Ag_2S composite photocatalysts

Figure S5 Cycling runs in the photocatalytic degradation of (a) MLT, (b) MCP and (c) CPS in the presence of synthesized ZnS composite photocatalysts under UV light irradiation

Figure S6 Cycling runs in the photocatalytic degradation of (a) MLT, (b) MCP and (c) CPS in the presence of synthesized Ag_2S composite photocatalysts under UV light irradiation






Figure S1




Figure S2




Figure S3




Figure S4






Figure S5






Figure S6