

Topological Engineering of the Amphiphilic Copolymer via RAFT Dispersion Copolymerization of Benzyl Methacrylate and 2-(Perfluorooctyl)ethyl Methacrylate for Polymeric Assemblies with Tunable Nanostructures

Meng Huo,^{a,b} Min Zeng,^a Decheng Wu,^{*,c} Yen Wei^{*,b} and Jinying Yuan^{*,a}

^a Key Lab of Organic Optoelectronics and Molecular Engineering of Ministry of Education, Department of Chemistry, Tsinghua University, 100084, Beijing, China. E-Mail: yuanjy@mail.tsinghua.edu.cn.

^b Key Lab of Bioorganic Phosphorus Chemistry & Chemical Biology of Ministry of Education, Department of Chemistry, Tsinghua University, 100084, Beijing, China. E-Mail: weiyen@tsinghua.edu.cn.

^c Beijing National Laboratory for Molecular Sciences, State Key Laboratory of Polymer Physics & Chemistry, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, China. E-Mail: dcwu@iccas.ac.cn.




Fig. S1 a) ^1H NMR spectra of a) PDMA₄₂, b) PDMA-*b*-PBzMA-35k, and c) PDMA-*b*-P(BzMA-co-FMA)-35k-50. Solvent: CDCl_3 for PDMA₄₂ and PDMA-*b*-PBzMA-35k; $\text{CDCl}_3/\text{CF}_2\text{ClCFCl}_2$ (1/1, v/v) for PDMA-*b*-P(BzMA-co-FMA)-35k-50.




Fig. S2 TEM image of PDMA-*b*-P(BzMA-co-FMA)-35k-50 assemblies.




Fig. S3 TEM image of PDMA-*b*-P(BzMA-co-FMA)-63k-70 assemblies.




Fig. S4 a) DLS profiles and b) number-averaged diameters of the PDMA-*b*-P(BzMA-*co*-FMA)-88k-*x* (*x* = 0, 20, 30, 50, 70) assemblies.




Fig. S5 SEM images of a), b) PDMA-*b*-P(BzMA-*co*-FMA)-88k-30 and c), d) PDMA-*b*-P(BzMA-*co*-FMA)-88k-50 assemblies.




Fig. S6 a) DLS profiles and b) number-averaged diameters of the PDMA-*b*-P(BzMA-*co*-FMA)-141k-*x* (*x* = 0, 20, 40, 60, 80) assemblies.




Fig. S7 SEM images of a) a') PDMA-*b*-P(BzMA-*co*-FMA)-141k-20, b) b') PDMA-*b*-P(BzMA-*co*-FMA)-141k-40 and c) c') PDMA-*b*-P(BzMA-*co*-FMA)-141k-80 assemblies.