

## Supporting Information

### Functionalization of $\alpha$ -hydroxyphosphonates as a convenient route to *N*-tosyl- $\alpha$ -aminophosphonates

Tomasz Cytlak,<sup>\*,a,b</sup> Monika Skibińska,<sup>a</sup> Patrycja Kaczmarek,<sup>a</sup> Marcin Kaźmierczak,<sup>a,b</sup>  
Magdalena Rapp,<sup>a</sup> Maciej Kubicki<sup>a</sup> and Henryk Koroniak<sup>a</sup>

<sup>a</sup> Faculty of Chemistry, Adam Mickiewicz University in Poznań, Umultowska 89b, 61-614 Poznań, Poland.


<sup>b</sup> Centre for Advanced Technologies, Adam Mickiewicz University in Poznań, Umultowska 89c, 61-614 Poznań, Poland

E-mail: cytlak@amu.edu.pl


#### Table of Contents

1. $^1\text{H}$ , $^{13}\text{C}$ , $^{31}\text{P}$ and 2D NMR Spectra of Compounds.....	S2
2. Crystallographic Data.....	S55


## 1. $^1\text{H}$ , $^{13}\text{C}$ , $^{19}\text{F}$ , $^{31}\text{P}$ and 2D NMR Spectra of Compounds





<sup>13</sup>C NMR of rac 1a









<sup>1</sup>H NMR of rac 7a









<sup>13</sup>C NMR of rac 7a




















**$^1\text{H}$  NMR of **rac 9a****











**11a**





**<sup>1</sup>H NMR of 11a. Mixture of 11a and 11b [1.9:1, d.r.]**









**11a**






**<sup>13</sup>C NMR of 11a. Mixture of 11a and 11b [1.9:1, d.r.]**















<sup>13</sup>C NMR of 14a. Mixture of 14a and 14b [5.4:1, d.r.]













<sup>13</sup>C NMR of 15a. Mixture of 15a and 15b [1.7:1, d.r.]

























**18b**







$^{31}\text{P}\{\text{H}\}$  NMR of 18b (8.3:1, r.r.)







**19a**






































**<sup>1</sup>H NMR of rac 23b**







**<sup>13</sup>C NMR of rac 23b**
















































HSQC of 33a (1.5:1, r.r.) and 33b (2.2:1, r.r.) [4.4:1, d.r.]























## 2. Crystallographic Data



**Figure 1.** Chain of hydrogen-bonded 4-fold screw related molecules of **10a**, as seen approximately along y-direction. Hydrogen bonds are shown as thin blue lines.



**Figure 2.** Centrosymmetric, hydrogen-bonded dimers observed in the crystal structures of a) **9a**, b) **23a**, c) **34a**, d) **36a**, e) **38**. Hydrogen bonds are shown as dashed blue lines; for **23a** the dimers created by both symmetry-independent molecules are shown.

**Table 1.** Crystal data and refinement details

Compound	<b>9a</b>	<b>10a</b>	<b>23a</b>	<b>34a</b>	<b>36a</b>	<b>38</b>
Formula	C <sub>16</sub> H <sub>21</sub> F <sub>3</sub>	C <sub>27</sub> H <sub>34</sub> NO	C <sub>22</sub> H <sub>28</sub> F <sub>3</sub> N	C <sub>24</sub> H <sub>33</sub> N <sub>2</sub>	C <sub>22</sub> H <sub>37</sub> N <sub>2</sub> O <sub>8</sub>	C <sub>16</sub> H <sub>21</sub> F <sub>3</sub> N
Formula	411.31	467.52	520.49	524.55	520.56	411.31
Crystal	triclinic	Tetragonal	triclinic	triclinic	triclinic	triclinic
Space	P-1	P4 <sub>1</sub> 2 <sub>1</sub> 2	P-1	P-1	P-1	P-1
a(Å)	9.2602(5)	18.3893(4)	9.4187(3)	9.1196(7)	11.2960(6)	10.1589(16)
b(Å)	9.4720(4)	18.3893(4)	11.5503(5)	11.0522(9)	12.0965(6)	10.3309(11)
c(Å)	11.9414(4)	15.9702(8)	25.4175(1)	13.6480(1)	12.4628(6)	10.8732(11)
α(°)	107.154(4)	90	90.406(3)	71.568(8)	112.998(5)	108.225(10)
β(°)	96.395(3)	90	99.189(3)	77.690(7)	110.653(4)	112.480(12)
γ(°)	95.550(4)	90	113.524(4)	87.393(6)	98.152(4)	90.483(10)
V(Å <sup>3</sup> )	985.29(8)	5400.6(4)	2495.13(1)	1274.7(2)	1387.41(16)	990.8(2)
Z	2	8	4	2	2	2
d <sub>x</sub> (g cm <sup>-3</sup> )	1.39	1.15	1.39	1.37	1.25	1.38
F(000)	428	2000	1088	556	556	428
μ(mm <sup>-1</sup> )	0.198	0.132	0.251	0.236	0.219	0.197
Θ range (°)	3.27 –	3.38 –	3.22 –	3.31 –	3.37 –	3.64 –
Reflections						
collected	17923	14476	18335	8392	16691	6885
unique	3448	5216	9637	4881	5328	3461
with	2844	4155	7875	3446	4503	1499
R(F)	0.074	0.044	0.041	0.085	0.059	0.118
wR(F <sup>2</sup> )	0.212	0.103	0.099	0.191	0.173	0.306
R(F) [all]	0.084	0.061	0.053	0.117	0.068	0.222
wR(F <sup>2</sup> ) [all]	0.220	0.114	0.106	0.205	0.181	0.366
Goodness	1.14	1.03	1.04	1.02	1.08	1.03
max/min	0.68/-0.32	0.14/-0.17	0.55/-0.45	1.80/-1.03	0.70/-0.48	0.71/-0.35

**Table 2.** Hydrogen bond data (Å, °) with s.u.'s in parentheses

D	H	A	D-H	H···A	D···A	D-H···A
<b>8a</b>						
O10	H10	O2 <sup>i</sup>	0.82	1.85	2.665(4)	173
<b>10a</b>						
O10	H10	O2 <sup>ii</sup>	0.82	1.95	2.764)3=	175
<b>23a</b>						
N10A	H10A	O2A <sup>iii</sup>	0.80(2)	1.99(2)	2.783(2)	175(2)
N10B	H10B	O2B <sup>iv</sup>	0.78(2)	2.02(2)	2.800(2)	173(2)
N3	H3N	O11 <sup>iii</sup>	0.87(2)	2.32(2)	3.1049(17)	151.5(19)
C3	H3	O13	1.00	2.29	3.0590(19)	133
<b>34a</b>						
N10	H10	O2 <sup>v</sup>	0.88	1.94	2.801(6)	166
<b>36a</b>						
N10	H10	O24 <sup>vi</sup>	0.86	2.12	2.956(3)	163
<b>38</b>						

N17	H17	O2 <sup>vii</sup>	0.88	1.92	2.778(6)	166
-----	-----	-------------------	------	------	----------	-----

Symmetry codes: <sup>i</sup> 1-x,1-y,-z; <sup>ii</sup> 3/2-y,1/2+x,1/4+z; <sup>iii</sup> 2-x,1-y,-z; <sup>iv</sup> -x,2-y,1-z; <sup>v</sup> 1-x,1-y,2-z; <sup>vi</sup> 1-x,-y, -z; <sup>vii</sup> 1-x,1-y,1-z.