

## Supplementary Information:

# Cadmium Tolerance and Accumulation Characteristics of Wetland Emergent Plants under Hydroponic Conditions

Yangyang Wang<sup>a,b,#</sup>, Ningqing Lv<sup>b,#</sup>, Xuhui Mao<sup>c</sup>, Zheng Yan<sup>d</sup>, Jinsheng Wang<sup>b,e</sup>, Wenbing Tan<sup>b</sup>, Tongtong Li<sup>b</sup>, Hui Liu<sup>b</sup>, Lei Wang<sup>\*,a,b</sup>, Beidou Xi<sup>\*,a,b</sup>

<sup>a</sup> Key Laboratory of Clean Energy of Liaoning, College of Energy and Environment, Shenyang Aerospace University, Shenyang 110136, China

<sup>b</sup> State Environmental Protection Key Laboratory of Simulation and Control of Groundwater Pollution, Chinese Research Academy of Environmental Sciences, Beijing 100012, P. R. China

<sup>c</sup> School of Resources and Environmental Science, Wuhan University, Hubei, Wuhan 430070, P. R. China

<sup>d</sup> Chinese Society For Environmental Sciences, Beijing 100012, P. R. China

<sup>e</sup> Shenzhen Long Cheng High-tech Environmental protection Co., Ltd., Shenzhen Guangdong 518063

\* Corresponding author

Dr. Lei Wang

E-mail addresses: wanglei01@craes.org.cn (Wang, L.); xibeidou@yeah.net (Xi, B.D.)

**Table. S1.** Concentrations of Cd in the roots, stems, and leaves of wetland emergent plants under Cd treatments.

	Treatment mg/L	Root		Stem		Leaf	
<i>Iris sibirica</i> L.	ck	2.8±0.7	a	1.5±0.5	a	1.5±0.2	a
	5.00	91.7±4.6	b	34.4±2.5	b	7.7±1.0	b
	10.00	259.2±7.6	c	54.9±4.1	c	31.2±3.5	c
	15.00	373.1±5.1	d	172.0±3.9	d	17.7±3.2	d
	25.00	463.8±9.5	e	258.4±4.9	e	56.9±3.4	e
<i>Cyperus alternifolius</i> L.	ck	6.9±1.3	a	5.6±0.9	a	4.1±1.1	a
	5.00	542.5±8.7	b	43.0±4.3	b	17.5±3.5	b
	10.00	757.0±8.5	c	57.8±3.2	c	36.9±5.0	c
	15.00	804.0±4.9	d	88.3±4.6	d	57.3±4.1	d
	25.00	915.0±4.2	e	92.3±3.7	e	65.8±2.0	e
<i>Typha orientalis Presl</i>	ck	3.7±0.4	a	2.16±0.1	a	4.9±0.3	a
	5.00	264.8±6.5	b	25.0±2.8	b	2.9±0.2	a
	10.00	635.5±3.7	c	138.3±2.5	c	15.9±1.7	b
	15.00	511.5±2.7	d	70.1±2.7	d	2.4±0.2	a
	25.00	1227.0±22.1	e	213.7±8.4	e	27.3±2.7	c
<i>Acorus calamus</i> L.	ck	6.6±0.4	a	3±0.3	a	1.5±0.2	a
	5.00	57.0±3.3	b	13.0±0.5	b	5.8±0.3	b
	10.00	364.3±4.4	c	26.8±1.5	c	12.3±1.2	c
	15.00	412.5±1.6	d	25.5±1.7	c	12.2±1.2	c
	25.00	360.9±5.4	c	43.3±2.6	d	14.1±0.8	c

Data are means ± S.D. (n = 3). One-way ANOVA (1 factor: different Cd treatments) were performed for each parameter. Means with different letters are significantly different from each other (P < 0.05) according to the LSD test.