Supplementary Information

The streptazolin and obscurolide-type metabolites from soil-derived *Streptomyces alboniger* YIM20533 and the influence mechanism of γ -butyrolactone on growth of *Streptomyces* by their non-enzymatic reaction biosynthesis

Na Luo,^{†a} Ya-Bin Yang,^{†b} Xue-Qiong Yang,^b Cui-Ping Miao,^a Yi-Qing Li,^a Li-Hua Xu,^a Zhong-Tao Ding^{*b} and Li-Xing Zhao^{*a}

^aYunnan Institute of Microbiology, College of Life Science, Yunnan University, Kunming, People's Republic of China ^bFunctional Molecules Analysis and Biotransformation Key Laboratory of Universities in Yunnan Province, School of Chemical Science and Technology, Yunnan University, Kunming, People's Republic of China.

Correspondence

Dr. Li-Xing Zhao, Yunnan Institute of Microbiology, Yunnan University, Kunming 650091,

People's Republic of China. E-mail: <u>zlx70@163.com</u>.

Prof. Dr. Zhongtao Ding, School of Chemical Science and Technology, Yunnan University,

Kunming 650091, People's Republic of China. E-mail: ztding@ynu.edu.cn.

[†]These authors contributed equally to this work.

Table of contents

Figure S1. ¹ H NMR spectrum of compound 1 in MeOD (600 MHz) Figure S2. ¹³ C NMR spectrum of compound 1 in MeOD (150 MHz)					4 4			
	Figure	S3. HSQC s	pectrum of co	ompour	nd 1 in MeOD	(600 M	IHz)	
			:	5				
	F	Figure S4. HN	ABC spectrur	n of co	mpound 1 in N	ЛеOD		
			:	5				
]	Figure S5. CO	OSY spectrun	n of cor	npound 1 in M	1eOD		
			(6				
Figure	S6.	ROESY	spectrum	of	compound	1	in	MeOD
6 Figure S Figure S	S7. HRE 88. ¹ H NI 59. ¹³ C N	SIMS spectro MR spectrum IMR spectrur	um of compo of compound n of compour	und 1 1 2 in N 1d 2 in 1	1eOD (600 MI MeOD (150 M	Hz) Hz)		7 7 8
	F	figure S10. H	SQC spectrui	n of co	mpound 2 in N	MeOD		
			:	8				
	F	igure S11. H	MBC spectru	m of cc	mpound 2 in 1	MeOD		
			2	9				
	F	igure S12. C	OSY spectrui	n of co	mpound 2 in M	MeOD		
				9				
Figure	S13.	ROESY	spectrum	of	compound	2	in	MeOD
10 Figure S Figure S Figure S	514. HRI 515. ¹ H N 516. ¹³ C	ESIMS spectr IMR spectrur NMR spectru	rum of compo n of compou im of compou	ound 2 nd 3 in and 3 ir	MeOD (600 M n MeOD (150 N	lHz) MHz)		10 11 11
	F	igure S17. H	SQC spectrui	n of co	mpound 3 in M	MeOD		
			1	2				
	F	igure S18. H	MBC spectru	m of co	mpound 3 in 1	MeOD		
			1	2				
	F	figure S19. C	OSY spectrui	n of co	mpound 3 in N	MeOD		

13

Figure S21. HRESIMS spectrum of compound 314Figure S22.¹HNMRspectrumofcompound4inMeOD(600MHz)141414141414141414Figure S23.¹³CNMRspectrumofcompound4inMeOD(150MHz)15

Figure S24. HSQC spectrum of compound 4 in MeOD

15

Figure S25. HMBC spectrum of compound 4 in MeOD

16

Figure S26. COSY spectrum of compound 4 in MeOD

16

Figure S27. NOESY spectrum of compound 4 in MeOD

17

Figure S28. HRESIMS spectrum of compound 4	17
Figure S29. ¹ H NMR spectrum of compound 5 in MeOD (600 MHz)	18
Figure S30. ¹³ C NMR spectrum of compound 5 in MeOD (150 MHz)	18

Figure S31. HSQC spectrum of compound 5

19

Figure S32. HMBC spectrum of compound 5

19

Figure S33. COSY spectrum of compound 5

20

Figure S34. NOESY spectrum of compound 5

20

Figure S35. HRESIMS spectrum of compound 5	21
Figure S36. ¹ H NMR spectrum of compound 6 MeOD (600 MHz)	21
Figure S37. ¹³ C NMR spectrum of compound 6 in MeOD (150 MHz)	22

Figure S38. HSQC spectrum of compound 6 in MeOD

22

Figure S39. HMBC spectrum of compound 6 in MeOD

Figure S40. COSY spectrum of compound 6 in MeOD

23

Figure S41. NOESY spectrum of compound 6 in MeOD

			2	4				
Figure S	42. HRE	SIMS spect	rum of compo	und 6				24
Figure S43. ¹ H NMR spectrum of compound 7 in MeOD (600 MHz)					25			
Figure S	44. ¹³ C 1	NMR spectru	um of compou	ınd 7 iı	n MeOD (150 N	MHz)		25
Figure	S45.	HSQC	spectrum	of	compound	7	in	MeOD
26								
	Fi	gure S46. H	MBC spectru	m of co	ompound 7 in 1	MeOD)	
			2	6				
Figure	S47.	COSY	spectrum	of	compound	7	in	MeOD
27								
Figure	S48.	NOESY	spectrum	of	compound	7	in	MeOD
27								
Figure S	49. HRE	SIMS spectr	um of compo	und 7				28
Figure S	50. ¹ H N	MR spectru	n of compour	nd 8 in	MeOD (400 M	[Hz)		28
Figure S	51. ¹³ C 1	NMR spectru	um of compou	ind 8 ii	n MeOD (100 N	MHz)		29
	Fi	igure S52. H	SQC spectrur	n of cc	mpound 8 in M	MeOD		
			2	9				
	Fi	gure S53. H	MBC spectru	m of co	ompound 8 in 1	MeOD)	
			3	0				
	Fi	igure S54. C	OSY spectrur	n of cc	mpound 8 in N	MeOD		
			3	0				
	Fig	gure S55. NG	DESY spectru	m of c	ompound 8 in	MeOI)	
			3	1				
Figure S	56. HRE	SIMS spect	rum of compo	und 8				31
Figure S	57. ¹ H N	MR spectru	n of compour	nd 9 in	MeOD (600 M	(Hz)		32
Figure S	58. ¹³ C N	JMR spectru	m of compou	nd 9 in	MeOD (150 N	/Hz)		32
	Fi	igure S59. H	SQC spectrur	n of cc	mpound 9 in N	MeOD		
			3	3				
	Fi	gure S60. H	MBC spectru	m of co	ompound 9 in 1	MeOD)	

33

Figure S61. COSY spectrum of compound 9 in MeOD

34

Figure S62. ROESY spectrum of compound 9 in MeOD

34

Figure S63. HRESIMS spectrum of compound 9	35
Figure S64. ¹ H NMR spectrum of compound 11 in MeOD (600 MHz)	35
Figure S65. ¹³ C NMR spectrum of compound 11 in MeOD (150 MHz)	36

Figure S66. HSQC spectrum of compound 11 in MeOD

36

Figure S67. HMBC spectrum of compound 11 in MeOD

37

Figure S68. COSY spectrum of compound 11 in MeOD

37

Figure S69. NOESY spectrum of compound 11 in MeOD

38

Figure S70. HRESIMS spectrum of compound 11	38
Figure S71. ¹ H NMR spectrum of compound 13 in MeOD (500 MHz)	39
Figure S72. ¹³ C NMR spectrum of compound 13 in MeOD (125 MHz)	39

Figure S73. HSQC spectrum of compound 13 in MeOD

40

Figure S74. HMBC spectrum of compound 13 in MeOD

40

Figure S75. COSY spectrum of compound 13 in MeOD

41

Figure S76. NOESY spectrum of compound 13 in MeOD

41

Figure S77. HRESIMS spectrum of compound 13	42
Figure S78 CD spectrum compound 6	42
Figure S79 CD spectrum compound 7	43







Figure S2. ¹³C NMR spectrum of compound (1) in MeOD.







Figure S4. HMBC spectrum of compound (1) in MeOD.







Figure S6. ROESY spectrum of compound (1) in MeOD.



Figure S7. HR ESI-MS spectrum of compound (1).



Figure S8. ¹H NMR spectrum of compound (2) in MeOD.



Figure S9. ¹³C NMR spectrum of compound (2) in MeOD.



Figure S10. HSQC spectrum of compound (2) in MeOD



Figure S11. HMBC spectrum of compound (2) in MeOD.



Figure S12. ¹H-¹H COSY spectrum of compound (2) in MeOD.



Figure S14. HR ESI-MS spectrum of compound (2).







Figure S16. ¹³C NMR spectrum of compound (3) in MeOD.











Figure S19. ¹H-¹H COSY spectrum of compound (**3**) in MeOD.



Figure S20. ROESY spectrum of compound (3) in MeOD.



Figure S21. HR ESI-MS spectrum of compound (3).



Figure S22. ¹H NMR spectrum of compound (4) in MeOD.



Figure S23. ¹³C NMR spectrum of compound (4) in MeOD.



Figure S24. HSQC spectrum of compound (4) in MeOD.



Figure S25. HMBC spectrum of compound (4) in MeOD.



Figure S26. ¹H-¹H COSY spectrum of compound (4) in MeOD.







Figure S28. HR ESI-MS spectrum of compound (4).



Figure S29. ¹H NMR spectrum of compound (5) in MeOD.



Figure S30. ¹³C NMR spectrum of compound (5) in MeOD.







Figure S32. HMBC spectrum of compound (5) in MeOD.



Figure S33. ¹H-¹H COSY spectrum of compound (5) in MeOD.



Figure S34. NOESY spectrum of compound (5) in MeOD.



Figure S36. ¹H NMR spectrum of compound (6) in MeOD.



Figure S37. ¹³C NMR spectrum of compound (6) in MeOD.



Figure S38. HSQC spectrum of compound (6) in MeOD.



Figure S39. HMBC spectrum of compound (6) in MeOD.



Figure S40. ¹H-¹H COSY spectrum of compound (6) in MeOD.



Figure S41. NOESY spectrum of compound (6) in MeOD.



Figure S42. HR ESI-MS spectrum of compound (6).



Figure S43. ¹H NMR spectrum of compound (7) in MeOD.



Figure S44. ¹³C NMR spectrum of compound (7) in MeOD.



Figure S45. HSQC spectrum of compound (7) in MeOD.











Figure S48. NOESY spectrum of compound (7) in MeOD.



Figure S49. HR ESI-MS spectrum of compound (7).



Figure S50. ¹H NMR spectrum of compound (8) in MeOD.



Figure S51. ¹³C NMR spectrum of compound (8) in MeOD.



Figure S52. HSQC spectrum of compound (8) in MeOD.



Figure S53. HMBC spectrum of compound (8) in MeOD.



Figure S54. ¹H-¹H COSY spectrum of compound (8) in MeOD.











Figure S57. ¹H NMR spectrum of compound (9) in MeOD.



Figure S58. ¹³C NMR spectrum of compound (9) in MeOD.



Figure S59. HSQC spectrum of compound (9) in MeOD.



Figure S60. HMBC spectrum of compound (9) in MeOD.







Figure S62. ROESY spectrum of compound (9) in MeOD.



Figure S63. HR ESI-MS spectrum of compound (9).



Figure S64. ¹H NMR spectrum of compound (11) in MeOD.



Figure S65. ¹³C NMR spectrum of compound (11) in MeOD.



Figure S66. HSQC spectrum of compound (11) in MeOD.



Figure S67. HMBC spectrum of compound (11) in MeOD.



Figure S68. ¹H-¹H COSY spectrum of compound (11) in MeOD.



100 120 140 160 180 200 220 240 260 280 300 320 340 360 380 400 420 440 460 480 500 520 540 560 580 600 620 640 660 680 700 720 740 760 780 800 Counts vs. Mass-to-Charge (m/z)

Figure S70. HR ESI-MS spectrum of compound (11).



Figure S71. ¹H NMR spectrum of compound (13) in MeOD.



Figure S72. ¹³C NMR spectrum of compound (13) in MeOD.



Figure S73. HSQC spectrum of compound (13) in MeOD.



Figure S74. HMBC spectrum of compound (13) in MeOD.



Figure S75. ¹H-¹H COSY spectrum of compound (13) in MeOD.



Figure S76. NOESY spectrum of compound (13) in MeOD.







Figure S78 CD spectrum compound 6



Figure S79 CD spectrum V of compound 7