

Supporting Information

Facile synthesis of highly conductive MoS₂/graphene nanohybrids with hetero- structures as excellent microwave absorber

Jixing Chai,^{†a,b} Deqing Zhang,^{†*a,b} Junye Cheng,^{c,d} Yixuan Jia,^b Xuewei Ba,^b Ya
Gao,^e Lei Zhu,^f Hao Wang^{*c} and Maosheng Cao^{*g}

^a *Heilongjiang Provincial Key Laboratory of Polymeric Composite Materials, Qiqihar University, Qiqihar 161006, China*

^b *School of Materials Science and Engineering, Qiqihar University, Qiqihar 161006, China*

^c *Guangdong Provincial Key Laboratory of Micro/Nano Optomechatronics Engineering, College of Mechatronics and Control Engineering, Shenzhen University, Shenzhen 518060, China.*

^d *Center of Super-Diamond and Advanced Films, and Department of Materials Science and Engineering, City University of HongKong, HongKong 999077, China*

^e *School of Chemistry and Chemical Engineering, Qiqihar University, Qiqihar 161006, China*

^f *School of Communication and Electronic Engineering, Qiqihar University, Qiqihar 161006, China*

^g *School of Materials Science and Engineering, Beijing Institute of Technology, Beijing 100081, China.*

*Corresponding author: caomaosheng@bit.edu.cn (M.S. Cao), zhdqing@163.com (D.Q. Zhang), whao@szu.edu.cn (H. Wang).

† These authors contributed equally to this work.




Fig. S1 X-ray powder diffraction (XRD) patterns for graphene.




Fig. S2 Raman spectrum for GN.