Electronic Supplementary Material (ESI) for Journal of Materials Chemistry A. This journal is © The Royal Society of Chemistry 2018

Electronic Supplementary Material (ESI) for Journal of Materials Chemistry A. This journal is © The Royal Society of Chemistry 2018

Supplementary Information

Ultrafine Red P Nanoconfined between Expanded Graphene Sheets for High-Performance Lithium-ion Batteries

Jiafeng Ruan, ^{a,1} Yuepeng Pang, ^{a,b,1} Sainan Luo, ^a Tao Yuan, ^{a,b} Chengxin Peng, ^{a,b} Junhe Yang, ^{a,b} Shiyou Zheng ^{a,b,*}

^a School of Materials Science and Engineering, University of Shanghai for Science and Technology, Shanghai 200093, China
^b Shanghai Innovation Institute for Materials, Shanghai 200444, China

* Corresponding author at: School of Materials Science and Engineering, University of Shanghai for Science and Technology, Shanghai 200093, China E-mail addresses: syzheng@usst.edu.cn (S. Zheng).

¹ These authors contributed equally to this work.

Content:

Fig. S1 TEM images of (a) expanded-G75, (b) expanded-G50 and (c) expanded-G33.

Fig. S2 Raman spectra of the P@expanded-G samples and red P.

Fig. S3 (a) N₂ adsorption isotherms and (b) pore size distributions of the expanded-G samples;

(c) N₂ adsorption isotherms and (d) pore size distributions of the P@expanded-G samples

Fig. S4 XPS of expanded-G50.

Fig. S5 SEM images of (a) P@expanded-G75 and (b) P@expanded-G33.

Fig. S6 TEM images of (a) P@expanded-G75 and (b) P@expanded-G33.

Fig. S7 TEM image of P@expanded-G50 with high magnification.

Fig. S8 CV curves of (a) P@expanded-G75 and (b) P@expanded-G33.

Fig. S9 Initial three discharge/charge profiles of (a) P@expanded-G75 and (b) P@expanded-G33.

Fig. S10 (a) Cycling performances of the expanded-G anodes and red P; (b) cycling performances of the P@expanded-G anodes based on the mass of red P.

Fig. S11 XRD patterns of the P@expanded-G50 and P@expanded-G33 electrodes after lithiation and delithiation.





Fig. S1 TEM images of (a) expanded-G75, (b) expanded-G50 and (c) expanded-G33.

```
Fig. S2
```



Fig. S2 Raman spectra of the P@expanded-G samples and red P.



Fig. S3 (a) N₂ adsorption isotherms and (b) pore size distributions of the expanded-G samples;(c) N₂ adsorption isotherms and (d) pore size distributions of the P@expanded-G samples





Fig. S4 XPS of expanded-G50.



Fig. S5 SEM images of (a) P@expanded-G75 and (b) P@expanded-G33.



Fig. S6 TEM images of (a) P@expanded-G75 and (b) P@expanded-G33.





Fig. S7 TEM image of P@expanded-G50 with high magnification.





Fig. S8 CV curves of (a) P@expanded-G75 and (b) P@expanded-G33.





Fig. S9 Initial three discharge/charge profiles of (a) P@expanded-G75 and (b) P@expanded-







Fig. S10 (a) Cycling performances of the expanded-G anodes and red P; (b) cycling performances of the P@expanded-G anodes based on the mass of red P.



Fig. S11 XRD patterns of the P@expanded-G50 and P@expanded-G33 electrodes after lithiation and delithiation.