

Supplementary information

Amorphous carbon-modification on implant surface: a general strategy to enhance osteogenic differentiation for diverse biomaterials via FAK/ERK1/2 signaling pathways

Xinran Zhang,^{‡ab} Haotian Li,^{‡c} Jiaqiang Liu,^{‡a} Hui Wang,^b Wenjun Sun,^b Kaili Lin,^{*a} Xudong Wang,^{*a} Steve Guofang Shen,^{*a}




Fig. S1 The thickness of carbon-coating measured by AFM.




Fig. S2 XPS spectra of the TCP-C, Ti-C and PEEK-C samples.

^a Department of Oral and Cranio-maxillofacial Science, Shanghai Ninth People's Hospital, College of Stomatology, Shanghai Jiao Tong University School of Medicine; National Clinical Research Center for Oral Diseases; Shanghai Key Laboratory of Stomatology & Shanghai Research Institute of Stomatology, Shanghai 200011, China.

^b School & Hospital of Stomatology, Tongji University, Shanghai Engineering Research Center of Tooth Restoration and Regeneration, Shanghai 200072, China.

^c Department of Spine Surgery, Tongji Hospital, Tongji University School of Medicine, Shanghai 200065, China.

[‡]Those authors contributed equally to this study.

*Corresponding author: Tel:86-21-23272699; Fax: 86-21-63136856.

E-mail: lklecnu@aliyun.com (K. Lin); xudongwang70@hotmail.com (X. Wang); maxillofac Surg@163.com (S. Shen).