## **Electronic Supplementary Information**

## Single droplet detection of immune checkpoints on a multiplexed electrohydrodynamic biosensor

Alain Wuethrich<sup>a\*</sup>, Aswin Raj Kumar<sup>a</sup>, Karthik Balaji Shanmugasundaram<sup>a</sup>, Kamil K. Reza<sup>a</sup>, Shuvashis Dey<sup>a</sup>, Christopher B. Howard<sup>a</sup>, Abu Ali Ibn Sina<sup>ab\*</sup> and Matt Trau<sup>a,c\*</sup>

<sup>a</sup>Centre for Personalized Nanomedicine, Australian Institute for Bioengineering and Nanotechnology (AIBN), The University of Queensland, Brisbane, QLD 4072, Australia

<sup>b</sup>Department of Biochemistry & Molecular Biology, Shahjalal University of Science & Technology, Bangladesh

<sup>c</sup>School of Chemistry and Molecular Biosciences, The University of Queensland, Brisbane QLD4072, Australia.

\*Corresponding authors: <u>a.wuethrich@uq.edu.au</u>, <u>a.sina@uq.edu.au</u> and <u>m.trau@uq.edu.au</u>

## Content

- Figure S1. Western blot expression analysis of the ScFvs.
- Figure S2. Design of multiplexed immune checkpoint biosensor.
- Figure S3. Schematic of microfabrication process.
- Figure S4. Study of TMB incubation time.

**Figure S1**. Western blot expression analysis of the ScFvs on the yeast cells using a HRP labelled antibody specific for the c-myc tag that was incorporated at the C-termini of each target.





Figure S2. Design of multiplexed immune checkpoint biosensor.



## Figure S3. Schematic of microfabrication process.

**Figure S4.** Study of TMB incubation time using PD-1 standard (100 pg/mL). The error bars represent the standard deviation of three replicates.

