Electronic Supplementary Material (ESI) for Environmental Science: Water Research & Technology. This journal is © The Royal Society of Chemistry 2019

Supporting Information

Antifouling UV-treated GO/PES Hollow fiber membrane in membrane bioreactor (MBR)

Mahdi Fathizadeha#, Weiwei L. Xub#, Margaret Shenc#, Emily Jengd#, Fanglei Zhoub, Qiaobei

Dong^b, Dinesh Behera^b, Zhuonan Song^a, Lei Wang^a, Abolfazl Shakouri^a, Konstantin Khivantsev^a,

and Miao Yub*

¹Department of Chemical Engineering, University of South Carolina, Columbia, SC 29208, USA.

² Department of Chemical and Biological Engineering, Rensselaer Polytechnic Institute, Troy, NY 12180, USA

³ Science, Mathematics, and Computer Science Magnet Program, Montgomery Blair High School, 51 University Blvd E, Silver Spring, MD 20901, USA.

⁴ School of Chemical and Biomolecular Engineering, Cornell University, Ithaca, New York 14853, United States

#: Contribute equally

*: Corresponding author; Email: yum5@rpi.edu

Table of Figures

Figure S 1.(a) AFM image of as-prepared single layer featured GO flakes; (b) The ATR-FTIR of S	LGO
and UV-treated SLGO in the solution	2
Figure S 2. The ATR-FTIR spectrum of pristine PES HF and SLGO/UV-treated SLGO coated PES	S HF
membranes	3

Figure S 3. The pore size distribution of PES HF membranes prepared with different amount of SLGO loading, the results are analyzed by ImageJ from FESEM provided in Figure 3......4

Figure S 4 FESEM and AFM topological scan of PES HF membranes coated with SLGO flakes irradiated by different duration of UV-treatment. (A), (B) SEM and AFM images of PES_ $GO_{6.20}$ _UV_{0.5}; (C), (D) SEM and AFM images of PES_ $GO_{6.20}$ _UV_{1.5}......5



Figure S 1.(a) AFM image of as-prepared single layer featured GO flakes; (b) The ATR-FTIR of SLGO and UV-treated SLGO in the solution



Figure S 2. The ATR-FTIR spectrum of pristine PES HF and SLGO/UV-treated SLGO coated PES HF membranes



Figure S 3. The pore size distribution of PES HF membranes prepared with different amount of SLGO loading, the results are analyzed by ImageJ from FESEM provided in Figure 3.



Figure S 4 FESEM and AFM topological scan of PES HF membranes coated with SLGO flakes irradiated by different duration of UV-treatment. (A), (B) SEM and AFM images of PES_ $GO_{6.20}$ _ $UV_{0.5}$; (C), (D) SEM and AFM images of PES_ $GO_{6.20}$ _ $UV_{1.0}$; (E), (F) SEM and AFM images of PES_ $GO_{6.20}$ _ $UV_{1.5}$