

Table S1

The body weight (g) of mice from three groups for a time period of 12 weeks. A, the CK group; B, the AS group; C, the RYR group.

Week	A1	A2	A3	A4	B1	B2	B3	B4	C1	C2	C3	C4	C5	C6
0	26.20	24.40	25.20	27.00	25.40	24.60	24.00	26.20	24.20	24.50	25.30	23.30	24.80	25.60
1	28.30	25.80	27.10	28.80	27.50	27.80	26.30	28.60	28.80	26.70	28.60	25.00	27.80	27.30
2	28.03	29.38	29.28	31.28	30.43	30.58	27.32	30.07	30.18	28.60	29.83	26.56	29.43	28.35
3	31.00	29.90	29.80	30.60	30.50	31.00	27.40	30.20	30.50	28.00	31.00	25.80	30.00	29.00
4	30.29	30.28	30.29	30.68	32.09	33.38	28.92	31.69	30.68	27.19	29.82	27.59	30.93	29.74
5	31.00	31.76	32.66	31.86	32.26	34.56	30.09	33.36	31.76	30.16	31.00	29.35	30.72	30.81
6	30.26	33.20	33.09	31.36	31.45	34.72	29.43	33.57	32.65	30.46	31.68	30.56	30.72	30.38
7	30.86	33.60	33.44	30.98	31.63	35.73	31.76	34.82	33.60	30.48	32.34	32.29	32.41	31.65
8	31.68	32.80	33.84	30.62	31.82	35.52	35.13	33.73	33.45	28.73	32.40	31.46	31.68	31.09
9	32.24	34.35	34.15	32.12	33.06	32.25	36.36	34.23	33.76	29.06	32.47	32.16	32.29	32.83
10	32.14	34.63	34.45	32.42	33.38	36.36	31.92	34.49	34.27	29.89	32.40	33.23	33.18	33.48
11	32.33	34.35	34.08	32.09	32.19	36.47	32.77	34.89	33.89	28.77	32.09	32.78	32.09	32.46
12	32.04	33.70	33.30	31.10	30.50	35.50	32.30	34.30	33.10	27.70	32.10	31.90	32.30	32.50