

Supplementary 3. The reference of soy and breast cancer datasets used in this study.

- Aidoo, A., Bishop, M. E., Shelton, S. D., Lyn-Cook, L. E., Chen, T., & Manjanatha, M. G. (2005). Effects of daidzein, genistein, and 17 β -estradiol on 7, 12-dimethylbenz [a] anthracene-induced mutagenicity and uterine dysplasia in ovariectomized rats. *Nutrition and cancer*, 53(1), 82-90.
- Allred, C. D., Allred, K. F., Ju, Y. H., Clausen, L. M., Doerge, D. R., Schantz, S. L., . . . Helferich, W. G. (2004). Dietary genistein results in larger MNU-induced, estrogen-dependent mammary tumors following ovariectomy of Sprague–Dawley rats. *Carcinogenesis*, 25(2), 211-218.
- Allred, C. D., Allred, K. F., Ju, Y. H., Goepfing, T. S., Doerge, D. R., & Helferich, W. G. (2004). Soy processing influences growth of estrogen-dependent breast cancer tumors. *Carcinogenesis*, 25(9), 1649-1657.
- Allred, C. D., Allred, K. F., Ju, Y. H., Virant, S. M., & Helferich, W. G. (2001). Soy diets containing varying amounts of genistein stimulate growth of estrogen-dependent (MCF-7) tumors in a dose-dependent manner. *Cancer research*, 61(13), 5045-5050.
- Allred, C. D., Ju, Y. H., Allred, K. F., Chang, J., & Helferich, W. G. (2001). Dietary genistein stimulates growth of estrogen-dependent breast cancer tumors similar to that observed with genistein. *Carcinogenesis*, 22(10), 1667-1673.
- Anastasius, N., Boston, S., Lacey, M., Storing, N., & Whitehead, S. A. (2009). Evidence that low-dose, long-term genistein treatment inhibits oestradiol-stimulated growth in MCF-7 cells by down-regulation of the PI3-kinase/Akt signalling pathway. *The Journal of steroid biochemistry and molecular biology*, 116(1), 50-55.
- Andrade, J. E., Ju, Y. H., Baker, C., Doerge, D. R., & Helferich, W. G. (2015). Long-term exposure to dietary sources of genistein induces estrogen-independence in the human breast cancer (MCF-7) xenograft model. *Molecular nutrition & food research*, 59(3), 413-423.
- Bernard-Gallon, D. J., Satih, S., Chalabi, N., Rabiau, N., Bosviel, R., Fontana, L., & Bignon, Y.-J. (2010). Phytoestrogens regulate the expression of genes involved in different biological processes in BRCA2 knocked down MCF-7, MDA-MB-231 and MCF-10a cell lines. *Oncology reports*, 23(3), 647-653.
- Betancourt, A. M., Wang, J., Jenkins, S., Mobley, J., Russo, J., & Lamartiniere, C. A. (2012). Altered carcinogenesis and proteome in mammary glands of rats after prepubertal exposures to the hormonally active chemicals bisphenol a and genistein. *The Journal of nutrition*, 142(7), 1382S-1388S.
- Bosviel, R., Dumollard, E., Déchelotte, P., Bignon, Y.-J., & Bernard-Gallon, D. (2012). Can soy phytoestrogens decrease DNA methylation in BRCA1 and BRCA2 oncosuppressor genes in breast cancer? *Omics: a journal of integrative biology*, 16(5), 235-244.
- Bosviel, R., Durif, J., Déchelotte, P., Bignon, Y.-J., & Bernard-Gallon, D. (2012). Epigenetic modulation of BRCA1 and BRCA2 gene expression by equol in breast cancer cell lines. *British Journal of Nutrition*, 108(7), 1187-1193.

- Boucher, B. A., Cotterchio, M., Anderson, L. N., Kreiger, N., Kirsh, V. A., & Thompson, L. U. (2013). Use of isoflavone supplements is associated with reduced postmenopausal breast cancer risk. *International journal of cancer*, 132(6), 1439-1450.
- Boué, S. M., Tilghman, S. L., Elliott, S., Zimmerman, M. C., Williams, K., Payton-Stewart, F., . . . Carter-Wientjes, C. H. (2009). Identification of the potent phytoestrogen glycinol in elicited soybean (*Glycine max*). *Endocrinology*, 150(5), 2446-2453.
- Bratton, M. R., Martin, E. C., Elliott, S., Rhodes, L. V., Collins-Burow, B. M., McLachlan, J. A., . . . Burow, M. E. (2015). Glyceollin, a novel regulator of mTOR/p70S6 in estrogen receptor positive breast cancer. *The Journal of steroid biochemistry and molecular biology*, 150, 17-23.
- Brown, N. M., Belles, C. A., Lindley, S. L., Zimmer-Nechemias, L. D., Zhao, X., Witte, D. P., . . . Setchell, K. D. (2010). The chemopreventive action of equol enantiomers in a chemically induced animal model of breast cancer. *Carcinogenesis*, 31(5), 886-893.
- Burow, M. E., Boue, S. M., Collins-Burow, B. M., Melnik, L. I., Duong, B. N., Carter-Wientjes, C. H., . . . McLachlan, J. A. (2001). Phytochemical glyceollins, isolated from soy, mediate antihormonal effects through estrogen receptor α and β . *The Journal of Clinical Endocrinology & Metabolism*, 86(4), 1750-1758.
- Cabanes, A., Wang, M., Olivo, S., DeAssis, S., Gustafsson, J.-Å., Khan, G., & Hilakivi-Clarke, L. (2004). Prepubertal estradiol and genistein exposures up-regulate BRCA1 mRNA and reduce mammary tumorigenesis. *Carcinogenesis*, 25(5), 741-748.
- Cappelletti, V., Miodini, P., Di Fronzo, G., & Daidone, M. G. (2006). Modulation of estrogen receptor- β isoforms by phytoestrogens in breast cancer cells. *International journal of oncology*, 28(5), 1185-1191.
- Carreau, C., Flouriot, G., Bennetau-Pelissero, C., & Potier, M. (2009). Respective contribution exerted by AF-1 and AF-2 transactivation functions in estrogen receptor α induced transcriptional activity by isoflavones and equol: Consequence on breast cancer cell proliferation. *Molecular nutrition & food research*, 53(5), 652-658.
- Chan, Y. S., Zhang, Y., & Ng, T. B. (2013). Brown kidney bean Bowman–Birk trypsin inhibitor is heat and pH stable and exhibits anti-proliferative activity. *Applied biochemistry and biotechnology*, 169(4), 1306-1314.
- Chang, Y.-J., Hou, Y.-C., Chen, L.-J., Wu, J.-H., Wu, C.-C., Chang, Y.-J., & Chung, K.-P. (2017). Is vegetarian diet associated with a lower risk of breast cancer in Taiwanese women? *BMC public health*, 17(1), 800.
- Charalambous, C., Pitta, C. A., & Constantinou, A. I. (2013). Equol enhances tamoxifen's anti-tumor activity by induction of caspase-mediated apoptosis in MCF-7 breast cancer cells. *BMC cancer*, 13(1), 238.
- Chen, J., Duan, Y., Zhang, X., Ye, Y., Ge, B., & Chen, J. (2015). Genistein induces apoptosis by the inactivation of the IGF-1R/p-Akt signaling pathway in MCF-7 human breast cancer cells. *Food Funct*, 6(3), 995-1000.
- Chen, W.-F., Huang, M.-H., Tzang, C.-H., Yang, M., & Wong, M.-S. (2003). Inhibitory actions of

genistein in human breast cancer (MCF-7) cells. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease*, 1638(2), 187-196.

Chen, W.-F., & Wong, M.-S. (2004). Genistein enhances insulin-like growth factor signaling pathway in human breast cancer (MCF-7) cells. *The Journal of Clinical Endocrinology & Metabolism*, 89(5), 2351-2359.

Chen, Y.-W., Huang, S.-C., Lin-Shiau, S.-Y., & Lin, J.-K. (2005). Bowman-Birk inhibitor abates proteasome function and suppresses the proliferation of MCF7 breast cancer cells through accumulation of MAP kinase phosphatase-1. *Carcinogenesis*, 26(7), 1296-1306.

Chiesa, G., Rigamonti, E., Lovati, M. R., Disconzi, E., Soldati, S., Sacco, M. G., Vezzoni, P., Arnoldi, A., Locati, D. (2008). Reduced mammary tumor progression in a transgenic mouse model fed an isoflavone-poor soy protein concentrate. *Molecular nutrition & food research*, 52(10), 1121-1129.

Cho, Y., Kim, J., Park, K., Lim, S., Shin, A., Sung, M., & Ro, J. (2010). Effect of dietary soy intake on breast cancer risk according to menopause and hormone receptor status. *European journal of clinical nutrition*, 64(9), 924-932.

Choi, E. J., Ahn, W. S., & Bae, S. M. (2009). Equol induces apoptosis through cytochrome c-mediated caspases cascade in human breast cancer MDA-MB-453 cells. *Chemico-biological interactions*, 177(1), 7-11.

Choi, E. J., & Kim, T. (2008). Equol induced apoptosis via cell cycle arrest in human breast cancer MDA-MB-453 but not MCF-7 cells. *Molecular medicine reports*, 1(2), 239-244.

Constantinou, A. I., White, B. E., Tonetti, D., Yang, Y., Liang, W., Li, W., & Van Breemen, R. B. (2005). The soy isoflavone daidzein improves the capacity of tamoxifen to prevent mammary tumours. *European Journal of Cancer*, 41(4), 647-654.

da Costa Souza, L., Camargo, R., Demasi, M., Santana, J. M., de Sa, C. M., & de Freitas, S. M. (2014). Effects of an anticarcinogenic Bowman-Birk protease inhibitor on purified 20S proteasome and MCF-7 breast cancer cells. *PLoS One*, 9(1), e86600.

Dave, B., Eason, R. R., Till, S. R., Geng, Y., Velarde, M. C., Badger, T. M., & Simmen, R. C. (2005). The soy isoflavone genistein promotes apoptosis in mammary epithelial cells by inducing the tumor suppressor PTEN. *Carcinogenesis*, 26(10), 1793-1803.

de la Parra, C., Castillo-Pichardo, L., Cruz-Collazo, A., Cubano, L., Redis, R., Calin, G. A., & Dharmawardhane, S. (2016). Soy isoflavone genistein-mediated downregulation of miR-155 contributes to the anticancer effects of genistein. *Nutrition and cancer*, 68(1), 154-164.

de la Parra, C., Otero-Franqui, E., Martinez-Montemayor, M., & Dharmawardhane, S. (2012). The soy isoflavone equol may increase cancer malignancy via up-regulation of eukaryotic protein synthesis initiation factor eIF4G. *Journal of Biological Chemistry*, 287(50), 41640-41650.

Dewi, F. N., Wood, C. E., Willson, C. J., Register, T. C., Lees, C. J., Howard, T. D., Huang, Z., Murphy, S. K., Tooze, J. A., Chou, J. W., Miller, L. D., Cline, J. M. (2016). Effects of pubertal exposure to dietary soy on estrogen receptor activity in the breast of cynomolgus macaques. *Cancer Prevention Research*, 9(5), 385-395.

- Du, X., Beloussow, K., & Shen, W.-C. (2001). Bowman-Birk protease inhibitor and its palmitic acid conjugate prevent 7, 12-dimethylbenz [a] anthracene-induced transformation in cultured mouse mammary glands. *Cancer letters*, 164(2), 135-141.
- Dutta, S., Kharkar, P. S., Sahu, N. U., & Khanna, A. (2017). Molecular docking prediction and in vitro studies elucidate anti-cancer activity of phytoestrogens. *Life sciences*, 185, 73-84.
- Fan, P., Fan, S., Wang, H., Mao, J., Shi, Y., Ibrahim, M. M., Ma, W., Yu, X., Hou, Z., Wang, B., Li, L. (2013). Genistein decreases the breast cancer stem-like cell population through Hedgehog pathway. *Stem cell research & therapy*, 4(6), 146.
- Fan, S., Meng, Q., Auburn, K., Carter, T., & Rosen, E. (2006). BRCA1 and BRCA2 as molecular targets for phytochemicals indole-3-carbinol and genistein in breast and prostate cancer cells. *British journal of cancer*, 94(3), 407.
- Fang, E. F., Wong, J. H., & Ng, T. B. (2010). Thermostable Kunitz trypsin inhibitor with cytokine inducing, antitumor and HIV-1 reverse transcriptase inhibitory activities from Korean large black soybeans. *Journal of bioscience and bioengineering*, 109(3), 211-217.
- Fang, Y., Zhang, Q., Wang, X., Yang, X., Wang, X., Huang, Z., Jiao, Y., Wang, J. (2016). Quantitative phosphoproteomics reveals genistein as a modulator of cell cycle and DNA damage response pathways in triple-negative breast cancer cells. *International journal of oncology*, 48(3), 1016-1028.
- Farina, H. G., Pomies, M., Alonso, D. F., & Gomez, D. E. (2006). Antitumor and antiangiogenic activity of soy isoflavone genistein in mouse models of melanoma and breast cancer. *Oncology reports*, 16(4), 885-891.
- Gaete, L., Tchernitchin, A. N., Bustamante, R., Villena, J., Lemus, I., Gidekel, M., Cabrera, G., Astorga, P. (2012). Daidzein–estrogen interaction in the rat uterus and its effect on human breast cancer cell growth. *Journal of medicinal food*, 15(12), 1081-1090.
- Galvez, A. F., & Benito, O. (1999). A soybean cDNA encoding a chromatin-binding peptide inhibits mitosis of mammalian cells. *Nature Biotechnology*, 17(5), 495-500.
- Gong, P., Madak-Erdogan, Z., Flaws, J. A., Shapiro, D. J., Katzenellenbogen, J. A., & Katzenellenbogen, B. S. (2016). Estrogen receptor- α and aryl hydrocarbon receptor involvement in the actions of botanical estrogens in target cells. *Molecular and cellular endocrinology*, 437, 190-200.
- Guha, N., Kwan, M. L., Quesenberry, C. P., Weltzien, E. K., Castillo, A. L., & Caan, B. J. (2009). Soy isoflavones and risk of cancer recurrence in a cohort of breast cancer survivors: the Life After Cancer Epidemiology study. *Breast cancer research and treatment*, 118(2), 395-405.
- Guo, X., Cai, Q., Bao, P., Wu, J., Wen, W., Ye, F., Zheng, W., Zheng, Y., Shu, X. O. (2016). Long-term soy consumption and tumor tissue MicroRNA and gene expression in triple-negative breast cancer. *Cancer*, 122(16), 2544-2551.
- Hamdy, S. M., Latif, A. K. M. A., Drees, E. A., & Soliman, S. M. (2012). Prevention of rat breast cancer by genistin and selenium. *Toxicology and industrial health*, 28(8), 746-757.
- Hernández-Ledesma, B., Hsieh, C. C., & de Lumen, B. O. (2011). Relationship between lunasin's

- sequence and its inhibitory activity of histones H3 and H4 acetylation. *Molecular nutrition & food research*, 55(7), 989-998.
- Hess-Wilson, J., Boldison, J., Weaver, K., & Knudsen, K. (2006). Xenoestrogen action in breast cancer: impact on ER-dependent transcription and mitogenesis. *Breast cancer research and treatment*, 96(3), 279-292.
- Hewitt, A. L., & Singletary, K. W. (2003). Soy extract inhibits mammary adenocarcinoma growth in a syngeneic mouse model. *Cancer letters*, 192(2), 133-143.
- Hirose, K., Imaeda, N., Tokudome, Y., Goto, C., Wakai, K., Matsuo, K., Ito, H., Toyama, T., Iwata, H., Tokudome, S., Tajima, K. (2005). Soybean products and reduction of breast cancer risk: a case-control study in Japan. *British journal of cancer*, 93(1), 15.
- Hirsch, K., Atzmon, A., Danilenko, M., Levy, J., & Sharoni, Y. (2007). Lycopene and other carotenoids inhibit estrogenic activity of 17 β -estradiol and genistein in cancer cells. *Breast cancer research and treatment*, 104(2), 221.
- Ho, V. S., & Ng, T. (2008). A Bowman-Birk trypsin inhibitor with antiproliferative activity from Hokkaido large black soybeans. *Journal of Peptide Science*, 14(3), 278-282.
- Hsieh, C.-C., Hernández-Ledesma, B., & Ben, O. (2010). Lunasin, a novel seed peptide, sensitizes human breast cancer MDA-MB-231 cells to aspirin-arrested cell cycle and induced apoptosis. *Chemico-Biological Interactions*, 186(2), 127-134.
- Hsieh, C.-C., Hernández-Ledesma, B., Jeong, H. J., Park, J. H., & Ben, O. (2010). Complementary roles in cancer prevention: protease inhibitor makes the cancer preventive peptide lunasin bioavailable. *PloS one*, 5(1), e8890.
- Imhof, M., Molzer, S., & Imhof, M. (2008). Effects of soy isoflavones on 17 β -estradiol-induced proliferation of MCF-7 breast cancer cells. *Toxicology in vitro*, 22(6), 1452-1460.
- Jaskulski, S., Jung, A. Y., Rudolph, A., Johnson, T., Thöne, K., Herpel, E., Sinn, P., Chang-Claude, J. (2017). Genistein and enterolactone in relation to Ki-67 expression and HER2 status in postmenopausal breast cancer patients. *Molecular nutrition & food research*.
- Jawaid, K., Crane, S. R., Nowers, J. L., Lacey, M., & Whitehead, S. A. (2010). Long-term genistein treatment of MCF-7 cells decreases acetylated histone 3 expression and alters growth responses to mitogens and histone deacetylase inhibitors. *The Journal of steroid biochemistry and molecular biology*, 120(4), 164-171.
- Jeong, H. J., Lam, Y., & de Lumen, B. O. (2002). Barley lunasin suppresses ras-induced colony formation and inhibits core histone acetylation in mammalian cells. *Journal of agricultural and food chemistry*, 50(21), 5903-5908.
- Jeong, H. J., Park, J. H., Lam, Y., & de Lumen, B. O. (2003). Characterization of lunasin isolated from soybean. *Journal of agricultural and food chemistry*, 51(27), 7901-7906.
- Jiang, Q., Pan, Y., Cheng, Y., Li, H., Liu, D., & Li, H. (2016). Lunasin suppresses the migration and invasion of breast cancer cells by inhibiting matrix metalloproteinase-2/-9 via the FAK/Akt/ERK and NF- κ B signaling pathways. *Oncology reports*, 36(1), 253-262.
- Jiang, X., Patterson, N. M., Ling, Y., Xie, J., Helferich, W. G., & Shapiro, D. J. (2008). Low

concentrations of the soy phytoestrogen genistein induce proteinase inhibitor 9 and block killing of breast cancer cells by immune cells. *Endocrinology*, 149(11), 5366-5373.

Jin, S., Zhang, Q., Kang, X., Wang, J., & Zhao, W. (2009). Daidzein induces MCF-7 breast cancer cell apoptosis via the mitochondrial pathway. *Annals of Oncology*, 21(2), 263-268.

Jin, Z., & MacDonald, R. S. (2002). Soy isoflavones increase latency of spontaneous mammary tumors in mice. *The Journal of nutrition*, 132(10), 3186-3190.

Joanitti, G. A., Azevedo, R. B., & Freitas, S. M. (2010). Apoptosis and lysosome membrane permeabilization induction on breast cancer cells by an anticarcinogenic Bowman–Birk protease inhibitor from *Vigna unguiculata* seeds. *Cancer letters*, 293(1), 73-81.

Johnson, K. A., Vemuri, S., Alsahafi, S., Castillo, R., & Cheriya, V. (2016). Glycone-rich Soy Isoflavone Extracts Promote Estrogen Receptor Positive Breast Cancer Cell Growth. *Nutrition and cancer*, 68(4), 622-633.

Ju, Y. H., Allred, C. D., Allred, K. F., Karko, K. L., Doerge, D. R., & Helferich, W. G. (2001). Physiological concentrations of dietary genistein dose-dependently stimulate growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in athymic nude mice. *The Journal of nutrition*, 131(11), 2957-2962.

Ju, Y. H., Fultz, J., Allred, K. F., Doerge, D. R., & Helferich, W. G. (2006). Effects of dietary daidzein and its metabolite, equol, at physiological concentrations on the growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in ovariectomized athymic mice. *Carcinogenesis*, 27(4), 856-863.

Kang, H.-B., Zhang, Y.-F., Yang, J.-D., & Lu, K.-L. (2012). Study on soy isoflavone consumption and risk of breast cancer and survival. *Asian Pac J Cancer Prev*, 13(3), 995-998.

Kang, X., Jin, S., & Zhang, Q. (2009). Antitumor and Antiangiogenic Activity of Soy Phytoestrogen on 7, 12-Dimethylbenz [α] anthracene-Induced Mammary Tumors Following Ovariectomy in Sprague–Dawley Rats. *Journal of food science*, 74(7).

Kang, X., Zhang, Q., Wang, S., Huang, X., & Jin, S. (2010). Effect of soy isoflavones on breast cancer recurrence and death for patients receiving adjuvant endocrine therapy. *Canadian Medical Association Journal*, 182(17), 1857-1862.

Katdare, M., Osborne, M., & Telang, N. T. (2002). Soy isoflavone genistein modulates cell cycle progression and induces apoptosis in HER-2/neu oncogene expressing human breast epithelial cells. *International journal of oncology*, 21(4), 809-815.

Kaushik, S., Shyam, H., Sharma, R., & Balapure, A. K. (2016). Genistein synergizes centchroman action in human breast cancer cells. *Indian journal of pharmacology*, 48(6), 637.

Kazi, A., Daniel, K. G., Smith, D. M., Kumar, N. B., & Dou, Q. P. (2003). Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein. *Biochemical pharmacology*, 66(6), 965-976.

Khupse, R. S., Sarver, J. G., Trendel, J. A., Bearss, N. R., Reese, M. D., Wiese, T. E., Boue, S. M., Burow, M. E., Cleveland, T. E., Bhatnagar, D., Erhardt, P. W. (2011). Biomimetic syntheses and antiproliferative activities of racemic, natural (–), and unnatural (+) glyceollin I. *Journal*

of medicinal chemistry, 54(10), 3506-3523.

- Kijkuokool, P., Parhar, I. S., & Malaivijitnond, S. (2006). Genistein enhances N-nitrosomethylurea-induced rat mammary tumorigenesis. *Cancer letters*, 242(1), 53-59.
- Kim, H.-A., Jeong, K.-S., & Kim, Y. K. (2008). Soy extract is more potent than genistein on tumor growth inhibition. *Anticancer research*, 28(5A), 2837-2841.
- King-Batoon, A., Leszczynska, J. M., & Klein, C. B. (2008). Modulation of gene methylation by genistein or lycopene in breast cancer cells. *Environmental and molecular mutagenesis*, 49(1), 36-45.
- Koh, W.-P., Van Den Berg, D., Jin, A., Wang, R., Yuan, J.-M., & Mimi, C. Y. (2011). Combined effects of MDM2 SNP309 and TP53 R72P polymorphisms, and soy isoflavones on breast cancer risk among Chinese women in Singapore. *Breast cancer research and treatment*, 130(3), 1011-1019.
- Koo, J., Cabarcas-Petroski, S., Petrie, J. L., Diette, N., White, R. J., & Schramm, L. (2015). Induction of proto-oncogene BRF2 in breast cancer cells by the dietary soybean isoflavone daidzein. *BMC cancer*, 15(1), 905.
- Korde, L. A., Wu, A. H., Fears, T., Nomura, A. M., West, D. W., Kolonel, L. N., Pike, M.C., Hoover, R. N., Ziegler, R. G. (2009). Childhood soy intake and breast cancer risk in Asian American women. *Cancer Epidemiology and Prevention Biomarkers*, 18(4), 1050-1059.
- Lanza, A., Tava, A., Catalano, M., Ragona, L., Singuaroli, I., Robustelli della Cuna, F. S., & Robustelli della Cuna, G. (2004). Effects of the Medicago scutellata trypsin inhibitor (MsTI) on cisplatin-induced cytotoxicity in human breast and cervical cancer cells. *Anticancer Res*, 24(1), 227-233.
- Latrich, C., Lubig, J., Springwald, A., Goerse, R., Ortmann, O., & Treeck, O. (2011). Additive effects of trastuzumab and genistein on human breast cancer cells. *Anti-cancer drugs*, 22(3), 253-261.
- Lavigne, J. A., Takahashi, Y., Chandramouli, G. V., Liu, H., Perkins, S. N., Hursting, S. D., & Wang, T. T. (2008). Concentration-dependent effects of genistein on global gene expression in MCF-7 breast cancer cells: an oligo microarray study. *Breast cancer research and treatment*, 110(1), 85-98.
- Lecomte, S., Chalmel, F., Ferriere, F., Percevault, F., Plu, N., Saligaut, C., Sured, C., Lelong, M., Efstathiou, T., Pakdel, F. (2017). Glyceollins trigger anti-proliferative effects through estradiol-dependent and independent pathways in breast cancer cells. *Cell Communication and Signaling*, 15(1), 26.
- Lecomte, S., Lelong, M., Bourguin, G., Efstathiou, T., Saligaut, C., & Pakdel, F. (2017). Assessment of the potential activity of major dietary compounds as selective estrogen receptor modulators in two distinct cell models for proliferation and differentiation. *Toxicology and applied pharmacology*, 325, 61-70.
- Lee, S.-A., Shu, X.-O., Li, H., Yang, G., Cai, H., Wen, W., Ji, B. T., Gao, J., Gao, Y. T., Zheng, W. (2009). Adolescent and adult soy food intake and breast cancer risk: results from the

Shanghai Women's Health Study. *The American journal of clinical nutrition*, 89(6), 1920-1926.

- Lee, W. Y., Huang, S. C., Tzeng, C. C., Chang, T. L., & Hsu, K. F. (2007). Alterations of metastasis-related genes identified using an oligonucleotide microarray of genistein-treated HCC1395 breast cancer cells. *Nutr Cancer*, 58(2), 239-246.
- Lee, Y.-H., Yuk, H. J., Park, K.-H., & Bae, Y.-S. (2013). Coumestrol induces senescence through protein kinase CKII inhibition-mediated reactive oxygen species production in human breast cancer and colon cancer cells. *Food chemistry*, 141(1), 381-388.
- Li, Y., Ahmed, F., Ali, S., Philip, P. A., Kucuk, O., & Sarkar, F. H. (2005). Inactivation of nuclear factor κ B by soy isoflavone genistein contributes to increased apoptosis induced by chemotherapeutic agents in human cancer cells. *Cancer research*, 65(15), 6934-6942.
- Li, Y., Meeran, S. M., Patel, S. N., Chen, H., Hardy, T. M., & Tollefsbol, T. O. (2013). Epigenetic reactivation of estrogen receptor- α (ER α) by genistein enhances hormonal therapy sensitivity in ER α -negative breast cancer. *Molecular Cancer*, 12, 9-9. doi:10.1186/1476-4598-12-9
- Liao, C.-H., Pan, S.-L., Guh, J.-H., & Teng, C.-M. (2004). Genistein inversely affects tubulin-binding agent-induced apoptosis in human breast cancer cells. *Biochemical pharmacology*, 67(11), 2031-2038.
- Limer, J. L., Parkes, A. T., & Speirs, V. (2006). Differential response to phytoestrogens in endocrine sensitive and resistant breast cancer cells in vitro. *International journal of cancer*, 119(3), 515-521.
- Lin, H.-M., Moon, B.-K., Yu, F., & Kim, H.-R. C. (2000). Galectin-3 mediates genistein-induced G2/M arrest and inhibits apoptosis. *Carcinogenesis*, 21(11), 1941-1945.
- Lin, P., Ye, X., & Ng, T. (2008). Purification of melibiose-binding lectins from two cultivars of Chinese black soybeans. *Acta biochimica et biophysica Sinica*, 40(12), 1029-1038.
- Linseisen, J., Piller, R., Hermann, S., & Chang-Claude, J. (2004). Dietary phytoestrogen intake and premenopausal breast cancer risk in a German case-control study. *International journal of cancer*, 110(2), 284-290.
- Liu, H., Du, J., Hu, C., Qi, H., Wang, X., Wang, S., Liu, Q., Li, Z. (2010). Delayed activation of extracellular-signal-regulated kinase 1/2 is involved in genistein-and equol-induced cell proliferation and estrogen-receptor- α -mediated transcription in MCF-7 breast cancer cells. *The Journal of nutritional biochemistry*, 21(5), 390-396.
- Liu, H., Hu, C., Wu, X., & Li, Z. (2014). Equol elicits estrogenic activities via PI3K/akt pathway in the estrogen receptor-positive MCF-7 cells. *Molecular & Cellular Toxicology*, 10(3), 285-291.
- Liu, X., Suzuki, N., Laxmi, Y. S., Okamoto, Y., & Shibutani, S. (2012). Anti-breast cancer potential of daidzein in rodents. *Life sciences*, 91(11-12), 415-419.
- Lucki, N. C., & Sewer, M. B. (2011). Genistein stimulates MCF-7 breast cancer cell growth by inducing acid ceramidase (ASAH1) gene expression. *Journal of Biological Chemistry*, 286(22), 19399-19409.

- Ma, D., Zhang, Y., Yang, T., Xue, Y., & Wang, P. (2014). Isoflavone intake inhibits the development of 7, 12-dimethylbenz (a) anthracene (DMBA)-induced mammary tumors in normal and ovariectomized rats. *Journal of clinical biochemistry and nutrition*, 54(1), 31-38.
- Magee, P. J., Allsopp, P., Samaletdin, A., & Rowland, I. R. (2014). Daidzein, R-(+) equol and S-(-) equol inhibit the invasion of MDA-MB-231 breast cancer cells potentially via the down-regulation of matrix metalloproteinase-2. *European journal of nutrition*, 53(1), 345-350.
- Magee, P. J., McGlynn, H., & Rowland, I. R. (2004). Differential effects of isoflavones and lignans on invasiveness of MDA-MB-231 breast cancer cells in vitro. *Cancer letters*, 208(1), 35-41.
- Magee, P. J., Owusu-Apenten, R., McCann, M. J., Gill, C. I., & Rowland, I. R. (2012). Chickpea (*Cicer arietinum*) and other plant-derived protease inhibitor concentrates inhibit breast and prostate cancer cell proliferation in vitro. *Nutrition and cancer*, 64(5), 741-748.
- Mai, Z., Blackburn, G. L., & Zhou, J.-R. (2007). Soy phytochemicals synergistically enhance the preventive effect of tamoxifen on the growth of estrogen-dependent human breast carcinoma in mice. *Carcinogenesis*, 28(6), 1217-1223.
- Mai, Z., Blackburn, G. L., & Zhou, J. R. (2007). Genistein sensitizes inhibitory effect of tamoxifen on the growth of estrogen receptor-positive and HER2-overexpressing human breast cancer cells. *Molecular carcinogenesis*, 46(7), 534-542.
- Marcela, G.-M., Eva, R.-G., del Carmen, R.-R. M., & Rosalva, M.-E. (2016). Evaluation of the antioxidant and antiproliferative effects of three peptide fractions of germinated soybeans on breast and cervical cancer cell lines. *Plant Foods for Human Nutrition*, 71(4), 368-374.
- Marik, R., Allu, M., Anchoori, R., Stearns, V., Umbricht, C. B., & Khan, S. (2011). Potent genistein derivatives as inhibitors of estrogen receptor alpha-positive breast cancer. *Cancer biology & therapy*, 11(10), 883-892.
- Martínez-Montemayor, M. M., Otero-Franqui, E., Martinez, J., De La Mota-Peynado, A., Cubano, L. A., & Dharmawardhane, S. (2010). Individual and combined soy isoflavones exert differential effects on metastatic cancer progression. *Clinical & experimental metastasis*, 27(7), 465-480.
- McLaughlin, J. M., Olivo-Marston, S., Vitolins, M. Z., Bittoni, M., Reeves, K. W., Degraffinreid, C. R., Schwartz, S. J., Clinton, S. K., Paskett, E. D. (2011). Effects of tomato-and soy-rich diets on the IGF-I hormonal network: a crossover study of postmenopausal women at high risk for breast cancer. *Cancer Prevention Research*, 4(5), 702-710.
- Medeiros, P. S., Batista de Carvalho, A. L., Ruano, C., Otero, J. C., & Marques, M. P. (2016). Raman microspectroscopy for probing the impact of a dietary antioxidant on human breast cancer cells. *Food Funct*, 7(6), 2800-2810.
- Mehdad, A., Brumana, G., Souza, A., Barbosa, J., Ventura, M., & De Freitas, S. (2016). A Bowman-Birk inhibitor induces apoptosis in human breast adenocarcinoma through mitochondrial impairment and oxidative damage following proteasome 20S inhibition. *Cell death discovery*, 2.
- Möller, F. J., Pemp, D., Soukup, S. T., Wende, K., Zhang, X., Zierau, O., Muders, M. H., Bosland,

- M. C., Kulling, S. E., Lehmann, L., Vollmer, G. (2016). Soy isoflavone exposure through all life stages accelerates 17 β -estradiol-induced mammary tumor onset and growth, yet reduces tumor burden, in ACI rats. *Archives of toxicology*, 90(8), 1907-1916.
- Montales, M. T. E., Rahal, O. M., Kang, J., Rogers, T. J., Prior, R. L., Wu, X., & Simmen, R. C. (2012). Repression of mammosphere formation of human breast cancer cells by soy isoflavone genistein and blueberry polyphenolic acids suggests diet-mediated targeting of cancer stem-like/progenitor cells. *Carcinogenesis*, 33(3), 652-660.
- Montales, M. T. E., Rahal, O. M., Nakatani, H., Matsuda, T., & Simmen, R. C. (2013). Repression of mammary adipogenesis by genistein limits mammosphere formation of human MCF-7 cells. *Journal of Endocrinology*, 218(1), 135-149.
- Morito, K., Hirose, T., Kinjo, J., Hirakawa, T., Okawa, M., Nohara, T., Ogawa, S., Inoue, S., Muramatsu, M., Masamune, Y. (2001). Interaction of phytoestrogens with estrogen receptors α and β . *Biological and Pharmaceutical Bulletin*, 24(4), 351-356.
- Moy, L. Y., & Billings, P. C. (1994). A proteolytic activity in a human breast cancer cell line which is inhibited by the anticarcinogenic Bowman-Birk protease inhibitor. *Cancer letters*, 85(2), 205-210.
- Murata, M., Midorikawa, K., Koh, M., Umezawa, K., & Kawanishi, S. (2004). Genistein and daidzein induce cell proliferation and their metabolites cause oxidative DNA damage in relation to isoflavone-induced cancer of estrogen-sensitive organs. *Biochemistry*, 43(9), 2569-2577.
- Murata, M., Midorikawa, K., Koh, M., Umezawa, K., & Kawanishi, S. (2004). Genistein and daidzein induce cell proliferation and their metabolites cause oxidative DNA damage in relation to isoflavone-induced cancer of estrogen-sensitive organs. *Biochemistry*, 43(9), 2569-2577.
- Nadal-Serrano, M., Pons, D. G., Sastre-Serra, J., del Mar Blanquer-Rosselló, M., Roca, P., & Oliver, J. (2013). Genistein modulates oxidative stress in breast cancer cell lines according to ER α /ER β ratio: effects on mitochondrial functionality, sirtuins, uncoupling protein 2 and antioxidant enzymes. *The international journal of biochemistry & cell biology*, 45(9), 2045-2051.
- Nakagawa, H., Yamamoto, D., Kiyozuka, Y., Tsuta, K., Uemura, Y., Hioki, K., Tsutsui, Y., Tsubura, A. (2000). Effects of genistein and synergistic action in combination with eicosapentaenoic acid on the growth of breast cancer cell lines. *Journal of cancer research and clinical oncology*, 126(8), 448-454.
- Nechuta, S. J., Caan, B. J., Chen, W. Y., Lu, W., Chen, Z., Kwan, M. L., Flatt, S. W., Zheng, Y., Zheng, W., Pierce, J. P., Shu, X. O. (2012). Soy food intake after diagnosis of breast cancer and survival: an in-depth analysis of combined evidence from cohort studies of US and Chinese women. *The American journal of clinical nutrition*, 96(1), 123-132.
- Nguyen, D. T., Hernandez-Montes, E., Vauzour, D., Schönthal, A. H., Rice-Evans, C., Cadenas, E., & Spencer, J. P. (2006). The intracellular genistein metabolite 5, 7, 3', 4'-tetrahydroxyisoflavone mediates G2-M cell cycle arrest in cancer cells via modulation of the p38 signaling pathway. *Free Radical Biology and Medicine*, 41(8), 1225-1239.

- Ono, M., Ejima, K., Higuchi, T., Takeshima, M., Wakimoto, R., & Nakano, S. (2017). Equol Enhances Apoptosis-inducing Activity of Genistein by Increasing Bax/Bcl-xL Expression Ratio in MCF-7 Human Breast Cancer Cells. *Nutr Cancer*, 69(8), 1300-1307.
- Ono, M., Koga, T., Ueo, H., & Nakano, S. (2012). Effects of dietary genistein on hormone-dependent rat mammary carcinogenesis induced by ethyl methanesulphonate. *Nutrition and cancer*, 64(8), 1204-1210.
- Pabona, J. M. P., Dave, B., Su, Y., Montales, M. T. E., Ben, O., De Mejia, E. G., Rahal, O. M., Simmen, R. C. (2013). The soybean peptide lunasin promotes apoptosis of mammary epithelial cells via induction of tumor suppressor PTEN: similarities and distinct actions from soy isoflavone genistein. *Genes & nutrition*, 8(1), 79-90.
- Palavalli, M. H., Natarajan, S. S., Wang, T. T., & Krishnan, H. B. (2012). Imbibition of soybean seeds in warm water results in the release of copious amounts of Bowman-Birk protease inhibitor, a putative anticarcinogenic agent. *Journal of agricultural and food chemistry*, 60(12), 3135-3143.
- Pan, H., Zhou, W., He, W., Liu, X., Ding, Q., Ling, L., Zha, X. & Wang, S. (2012). Genistein inhibits MDA-MB-231 triple-negative breast cancer cell growth by inhibiting NF- κ B activity via the Notch-1 pathway. *International journal of molecular medicine*, 30(2), 337-343.
- Park, K., Choi, K., Kim, H., Kim, K., Lee, M. H., Lee, J.-H., & Rim, J. C. K. (2009). Isoflavone-deprived soy peptide suppresses mammary tumorigenesis by inducing apoptosis. *Experimental & molecular medicine*, 41(6), 371-380.
- Po, L. S., Chen, Z.-y., Tsang, D. S., & Leung, L. K. (2002). Baicalein and genistein display differential actions on estrogen receptor (ER) transactivation and apoptosis in MCF-7 cells. *Cancer letters*, 187(1), 33-40.
- Pons, D. G., Nadal-Serrano, M., Blanquer-Rossello, M., Sastre-Serra, J., Oliver, J., & Roca, P. (2014). Genistein modulates proliferation and mitochondrial functionality in breast cancer cells depending on ER α /ER β ratio. *Journal of cellular biochemistry*, 115(5), 949-958.
- Poschner, S., Maier-Salamon, A., Zehl, M., Wackerlig, J., Dobusch, D., Pachmann, B., Sterlini, K. L., Jäger, W. (2017). The Impacts of Genistein and Daidzein on Estrogen Conjugations in Human Breast Cancer Cells: A Targeted Metabolomics Approach. *Frontiers in pharmacology*, 8, 699.
- Prietsch, R., Monte, L. d., Da Silva, F., Beira, F., Del Pino, F., Campos, V., Collares, T., Pinto, L. S., Spanevello, R. M., Gamaro, G. D., Braganhol, E. (2014). Genistein induces apoptosis and autophagy in human breast MCF-7 cells by modulating the expression of proapoptotic factors and oxidative stress enzymes. *Molecular and cellular biochemistry*, 390(1-2), 235-242.
- Rahal, O. M., Machado, H. L., Montales, M. T. E., Pabona, J. M. P., Heard, M. E., Nagarajan, S., & Simmen, R. C. (2013). Dietary suppression of the mammary CD29 hi CD24+ epithelial subpopulation and its cytokine/chemokine transcriptional signatures modifies mammary tumor risk in MMTV-Wnt1 transgenic mice. *Stem cell research*, 11(3), 1149-1162.
- Rajah, T. T., Du, N., Drews, N., & Cohn, R. (2009). Genistein in the presence of 17 β -estradiol

inhibits proliferation of ERbeta breast cancer cells. *Pharmacology*, 84(2), 68-73.
doi:10.1159/000226123

- Rajah, T. T., Peine, K. J., Du, N., Serret, C. A., & Drews, N. R. (2012). Physiological concentrations of genistein and 17 β -estradiol inhibit MDA-MB-231 breast cancer cell growth by increasing BAX/BCL-2 and reducing pERK1/2. *Anticancer research*, 32(4), 1181-1191.
- Reiter, E., Gerster, P., & Jungbauer, A. (2011). Red clover and soy isoflavones—an in vitro safety assessment. *Gynecological Endocrinology*, 27(12), 1037-1042.
- Rhodes, L. V., Tilghman, S. L., Boue, S. M., Wang, S., Khalili, H., Muir, S. E., Bratton, M. R., Zhang, Q., Wang, G., Burow, M. E., Collins-Burow, B. M. (2012). Glyceollins as novel targeted therapeutic for the treatment of triple-negative breast cancer. *Oncology letters*, 3(1), 163-171.
- Rowlands, J., Berhow, M., & Badger, T. (2002). Estrogenic and antiproliferative properties of soy sapogenols in human breast cancer cells in vitro. *Food and Chemical Toxicology*, 40(12), 1767-1774.
- Sahin, K., Tuzcu, M., Sahin, N., Akdemir, F., Ozercan, I., Bayraktar, S., & Kucuk, O. (2011). Inhibitory effects of combination of lycopene and genistein on 7, 12-dimethyl benz (a) anthracene-induced breast cancer in rats. *Nutrition and cancer*, 63(8), 1279-1286.
- Sakamoto, T., Horiguchi, H., Oguma, E., & Kayama, F. (2010). Effects of diverse dietary phytoestrogens on cell growth, cell cycle and apoptosis in estrogen-receptor-positive breast cancer cells. *The Journal of nutritional biochemistry*, 21(9), 856-864.
- Sakla, M. S., Shenouda, N. S., Ansell, P. J., MacDonald, R. S., & Lubahn, D. B. (2007). Genistein affects HER2 protein concentration, activation, and promoter regulation in BT-474 human breast cancer cells. *Endocrine*, 32(1), 69-78.
- Salvo, V. A., Boue, S. M., Fonseca, J. P., Elliott, S., Corbitt, C., Collins-Burow, B. M., Curiel, T. J., Srivastav, S. K., Shih, B. Y., Carter-Wientjes, C., Wood, C. E., Erhardt, P. W., Beckman, B. S., McLachlan, J. A., Cleveland, T. E., Burow, M. E. (2006). Antiestrogenic glyceollins suppress human breast and ovarian carcinoma tumorigenesis. *Clinical cancer research*, 12(23), 7159-7164.
- Santell, R. C., Kieu, N., & Helferich, W. G. (2000). Genistein inhibits growth of estrogen-independent human breast cancer cells in culture but not in athymic mice. *The Journal of nutrition*, 130(7), 1665-1669.
- Satih, S., Chalabi, N., Rabiau, N., Bosviel, R., Fontana, L., Bignon, Y.-J., & Bernard-Gallon, D. J. (2010). Gene expression profiling of breast cancer cell lines in response to soy isoflavones using a pangenomic microarray approach. *Omics: a journal of integrative biology*, 14(3), 231-238.
- Schmidt, S., Michna, H., & Diel, P. (2005). Combinatory effects of phytoestrogens and 17 β -estradiol on proliferation and apoptosis in MCF-7 breast cancer cells. *The Journal of steroid biochemistry and molecular biology*, 94(5), 445-449.
- Seo, H.-S., DeNardo, D. G., Jacquot, Y., Laïos, I., Vidal, D. S., Zambrana, C. R., Leclercq, G., Brown, P. H. (2006). Stimulatory effect of genistein and apigenin on the growth of breast cancer cells correlates with their ability to activate ER alpha. *Breast cancer research and treatment*,

99(2), 121-134.

- Seo, H.-S., Ju, J.-h., Jang, K., & Shin, I. (2011). Induction of apoptotic cell death by phytoestrogens by up-regulating the levels of phospho-p53 and p21 in normal and malignant estrogen receptor α -negative breast cells. *Nutrition research*, 31(2), 139-146.
- Sergeev, I. N. (2004). Genistein induces Ca²⁺-mediated, calpain/caspase-12-dependent apoptosis in breast cancer cells. *Biochemical and biophysical research communications*, 321(2), 462-467.
- Shike, M., Doane, A. S., Russo, L., Cabal, R., Reis-Filho, J. S., Gerald, W., Cody, H., Khanin, R., Bromberg, J., Norton, L. (2014). The effects of soy supplementation on gene expression in breast cancer: a randomized placebo-controlled study. *JNCI: Journal of the National Cancer Institute*, 106(9).
- Shim, H.-Y., Park, J.-H., Paik, H.-D., Nah, S.-Y., Kim, D. S., & Han, Y. S. (2007). Genistein-induced apoptosis of human breast cancer MCF-7 cells involves calpain-caspase and apoptosis signaling kinase 1-p38 mitogen-activated protein kinase activation cascades. *Anti-cancer drugs*, 18(6), 649-657.
- Shu, X. O., Zheng, Y., Cai, H., Gu, K., Chen, Z., Zheng, W., & Lu, W. (2009). Soy food intake and breast cancer survival. *Jama*, 302(22), 2437-2443.
- Singletary, K., Faller, J., Li, J. Y., & Mahungu, S. (2000). Effect of extrusion on isoflavone content and antiproliferative bioactivity of soy/corn mixtures. *Journal of agricultural and food chemistry*, 48(8), 3566-3571.
- Stocco, B., Toledo, K. A., Fumagalli, H. F., Bianchini, F. J., Fortes, V. S., Fonseca, M. J. V., & Toloi, M. R. T. (2015). Biotransformed soybean extract induces cell death of estrogen-dependent breast cancer cells by modulation of apoptotic proteins. *Nutrition and cancer*, 67(4), 612-619.
- Taghizadeh, B., Ghavami, L., Nikoofar, A., & Goliaei, B. (2015). Equol as a potent radiosensitizer in estrogen receptor-positive and-negative human breast cancer cell lines. *Breast Cancer*, 22(4), 382-390.
- Teas, J., Irhimeh, M. R., Druker, S., Hurley, T. G., Hébert, J. R., Savarese, T. M., & Kurzer, M. S. (2011). Serum IGF-1 concentrations change with soy and seaweed supplements in healthy postmenopausal American women. *Nutrition and cancer*, 63(5), 743-748.
- Thanos, J., Cotterchio, M., Boucher, B. A., Kreiger, N., & Thompson, L. U. (2006). Adolescent dietary phytoestrogen intake and breast cancer risk (Canada). *Cancer Causes & Control*, 17(10), 1253-1261.
- Tsuboy, M. S., Marcarini, J. C., de Souza, A. O., de Paula, N. A., Dorta, D. J., Mantovani, M. S., & Ribeiro, L. R. (2014). Genistein at maximal physiologic serum levels induces G0/G1 arrest in MCF-7 and HB4a cells, but not apoptosis. *Journal of medicinal food*, 17(2), 218-225.
- Uifălean, A., Schneider, S., Gierok, P., Ionescu, C., Iuga, C. A., & Lalk, M. (2016). The impact of soy isoflavones on MCF-7 and MDA-MB-231 breast cancer cells using a global metabolomic approach. *International journal of molecular sciences*, 17(9), 1443.

- Ullah, M. F., Ahmad, A., Zubair, H., Khan, H. Y., Wang, Z., Sarkar, F. H., & Hadi, S. M. (2011). Soy isoflavone genistein induces cell death in breast cancer cells through mobilization of endogenous copper ions and generation of reactive oxygen species. *Molecular nutrition & food research*, 55(4), 553-559.
- Valentiner, U., Fabian, S., Schumacher, U., & Leathem, A. J. (2003). The influence of dietary lectins on the cell proliferation of human breast cancer cell lines in vitro. *Anticancer Res*, 23(2b), 1197-1206.
- van Duursen, M. B., Nijmeijer, S., de Morree, E., de Jong, P. C., & van den Berg, M. (2011). Genistein induces breast cancer-associated aromatase and stimulates estrogen-dependent tumor cell growth in in vitro breast cancer model. *Toxicology*, 289(2), 67-73.
- Vissac-Sabatier, C., Bignon, Y.-J., & Bernard-Gallon, D. J. (2003). Effects of the phytoestrogens genistein and daidzein on BRCA2 tumor suppressor gene expression in breast cell lines. *Nutrition and cancer*, 45(2), 247-255.
- Wada, K., Nakamura, K., Tamai, Y., Tsuji, M., Kawachi, T., Hori, A., Takeyama, N., Tanabashi, S., Matsushita, S., Tokimitsu, N., Nagata, C. (2013). Soy isoflavone intake and breast cancer risk in Japan: from the Takayama study. *International journal of cancer*, 133(4), 952-960.
- Wagner, J., Jiang, L., & Lehmann, L. (2008). Phytoestrogens modulate the expression of 17 α -estradiol metabolizing enzymes in cultured MCF-7 cells. *Advances in experimental medicine and biology*, 617, 625-632.
- Wang, D., Ma, Q., Zhang, N., & Qi, D. (2010). Genistein inhibit the proliferation induced by zearalenone in MCF-7 cells. *Molecular & Cellular Toxicology*, 6(1), 25-31.
- Wang, Q., Li, H., Tao, P., Wang, Y.-P., Yuan, P., Yang, C.-X., Lee, H., Huang, Y. (2011). Soy isoflavones, CYP1A1, CYP1B1, and COMT polymorphisms, and breast cancer: a case-control study in southwestern China. *DNA and cell biology*, 30(8), 585-595.
- Wang, Q., Liu, L., Li, H., Tao, P., Qi, Y., & Li, J. (2016). Effects of High-Order Interactions among IGF1R-3 Genetic Polymorphisms, Body Mass Index and Soy Isoflavone Intake on Breast Cancer Susceptibility. *PloS one*, 11(9), e0162970.
- Wang, Q., Wang, Y., Li, J., Yuan, P., Yang, F., & Li, H. (2010). Polymorphic catechol-O-methyltransferase gene, soy isoflavone intake and breast cancer in postmenopausal women: a case-control study. *Chin J Cancer*, 29(7), 683-688.
- Watson, K. L., Stalker, L., Jones, R. A., & Moorehead, R. A. (2015). High levels of dietary soy decrease mammary tumor latency and increase incidence in MTB-IGF1R transgenic mice. *BMC cancer*, 15(1), 37.
- Wood, C. E., Clarkson, T. B., Appt, S. E., Franke, A. A., Boue, S. M., Burow, M. E., McCoy, T., Cline, J. M. (2006). Effects of soybean glyceollins and estradiol in postmenopausal female monkeys. *Nutrition and cancer*, 56(1), 74-81.
- Wu, A., Koh, W., Wang, R., Lee, H., & Yu, M. (2008). Soy intake and breast cancer risk in Singapore Chinese Health Study. *British journal of cancer*, 99(1), 196-200.
- Wu, A. H., Spicer, D. V., & Pike, M. C. (2012). Soy Isoflavones for Breast Cancer Risk Reduction.

Cancer Prevention Research, 5(7), 984-985.

- Wu, A. H., Wan, P., Hankin, J., Tseng, C.-C., Yu, M. C., & Pike, M. C. (2002). Adolescent and adult soy intake and risk of breast cancer in Asian-Americans. *Carcinogenesis*, 23(9), 1491-1496.
- Wu, Q., Jin, N., Yu, J., Zhao, R., Yu, Z., Qiao, S., Lu, X., Zhang, C. (2009). Effects of soy isoflavone extracts on the growth of estrogen-dependent human breast cancer (MCF-7) tumors implanted in ovariectomized nude mice. *Chinese Science Bulletin*, 54(1), 72.
- Wu, Q., Yang, Y., Yu, J., & Jin, N. (2012). Soy isoflavone extracts stimulate the growth of nude mouse xenografts bearing estrogen-dependent human breast cancer cells (MCF-7). *Journal of biomedical research*, 26(1), 44-52.
- Xie, Q., Bai, Q., Zou, L. Y., Zhang, Q. Y., Zhou, Y., Chang, H., Yi, L., Zhu, J. D., Mi, M. T. (2014). Genistein inhibits DNA methylation and increases expression of tumor suppressor genes in human breast cancer cells. *Genes Chromosomes Cancer*, 53(5), 422-431.
- Yamamoto, S., Sobue, T., Kobayashi, M., Sasaki, S., & Tsugane, S. (2003). Soy, isoflavones, and breast cancer risk in Japan. *Journal of the national cancer institute*, 95(12), 906-913.
- Yan, L., Li, D., & Yee, J. A. (2002). Dietary supplementation with isolated soy protein reduces metastasis of mammary carcinoma cells in mice. *Clinical & experimental metastasis*, 19(6), 535.
- Yang, S., Zhou, Q., & Yang, X. (2007). Caspase-3 status is a determinant of the differential responses to genistein between MDA-MB-231 and MCF-7 breast cancer cells. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1773(6), 903-911.
- Yang, X., Belosay, A., Hartman, J. A., Song, H., Zhang, Y., Wang, W., Doerge, D. R., Helferich, W. G. (2015). Dietary soy isoflavones increase metastasis to lungs in an experimental model of breast cancer with bone micro-tumors. *Clinical & experimental metastasis*, 32(4), 323-333.
- Yuan, B., Cheng, L., Gupta, K., Chiang, H.-C., Gupta, H. B., Sareddy, G. R., . . . Wang, P. (2016). Tyrosine phosphorylation regulates ER β ubiquitination, protein turnover, and inhibition of breast cancer. *Oncotarget*, 7(27), 42585.
- Yuan, B., Wang, L., Jin, Y., Zhen, H., Xu, P., Xu, Y., Li, C., Xu, H. (2012). Role of Metabolism in the Effects of Genistein and Its Phase II Conjugates on the Growth of Human Breast Cell Lines. *The AAPS Journal*, 14(2), 329-344.
- Zafar, A., Singh, S., & Naseem, I. (2017). Cytotoxic activity of soy phytoestrogen coumestrol against human breast cancer MCF-7 cells: Insights into the molecular mechanism. *Food and Chemical Toxicology*, 99, 149-161.
- Zafar, A., Singh, S., Satija, Y. K., Saluja, D., & Naseem, I. (2018). Deciphering the molecular mechanism underlying anticancer activity of coumestrol in triple-negative breast cancer cells. *Toxicology in Vitro*, 46, 19-28.
- Zhang, B., Su, J.-P., Bai, Y., Li, J., & Liu, Y.-H. (2015). Inhibitory effects of O-methylated isoflavone glycitein on human breast cancer SKBR-3 cells. *International journal of clinical and experimental pathology*, 8(7), 7809.

- Zhang, C., Ho, S. C., Lin, F., Cheng, S., Fu, J., & Chen, Y. (2010). Soy product and isoflavone intake and breast cancer risk defined by hormone receptor status. *Cancer science*, 101(2), 501-507.
- Zhang, E. J., Ng, K. M., & Luo, K. Q. (2007). Extraction and purification of isoflavones from soybeans and characterization of their estrogenic activities. *Journal of agricultural and food chemistry*, 55(17), 6940-6950.
- Zhang, F. F., Haslam, D. E., Terry, M. B., Knight, J. A., Andrulis, I. L., Daly, M. B., Buys, S. S., John, E. M. (2017). Dietary isoflavone intake and all-cause mortality in breast cancer survivors: The Breast Cancer Family Registry. *Cancer*, 123(11), 2070-2079.
- Zhang, G., Han, D., Liu, G., Gao, S., Cai, X., Duan, R., & Feng, X. (2012). Effects of soy isoflavone and endogenous oestrogen on breast cancer in MMTV-erbB2 transgenic mice. *Journal of International Medical Research*, 40(6), 2073-2082.
- Zhang, L., Wan, X. S., Donahue, J. J., Ware, J. H., & Kennedy, A. R. (1999). Effects of the Bowman-Birk inhibitor on clonogenic survival and cisplatin-or radiation-induced cytotoxicity in human breast, cervical, and head and neck cancer cells. *Nutrition and cancer*, 33(2), 165-173.
- Zhang, M., Yang, H., & Holman, C. A. J. (2009). Dietary intake of isoflavones and breast cancer risk by estrogen and progesterone receptor status. *Breast cancer research and treatment*, 118(3), 553-563.
- Zhang, X., Cook, K. L., Warri, A., Cruz, I. M., Rosim, M., Riskin, J., Helferich, W., Doerge, D., Clarke, R., Hilakivi-Clarke, L. (2017). Lifetime genistein intake increases the response of mammary tumors to tamoxifen in rats. *Clinical Cancer Research*, 23(3), 814-824.
- Zhang, Y.-F., Kang, H.-B., Li, B.-L., & Zhang, R.-M. (2012). Positive effects of soy isoflavone food on survival of breast cancer patients in China. *Asian Pacific Journal of Cancer Prevention*, 13(2), 479-482.
- Zhao, Q., Zhao, M., Parris, A. B., Xing, Y., & Yang, X. (2016). Genistein targets the cancerous inhibitor of PP2A to induce growth inhibition and apoptosis in breast cancer cells. *International journal of oncology*, 49(3), 1203-1210.
- Zheng, W.-Y., Nie, S.-P., Li, W.-J., Hu, X.-J., & Xie, M.-Y. (2013). Stimulatory effects of genistein and quercetin on the proliferation of MCF-7 cells. *Food Bioscience*, 2, 15-23.
- Zhou, J. R., Yu, L., Mai, Z., & Blackburn, G. L. (2004). Combined inhibition of estrogen-dependent human breast carcinoma by soy and tea bioactive components in mice. *International journal of cancer*, 108(1), 8-14.
- Zhu, Y.-y., Zhou, L., Jiao, S.-c., & Xu, L.-z. (2011). Relationship between soy food intake and breast cancer in China. *Asian Pac J Cancer Prev*, 12(11), 2837-2840.
- Zimmermann, M. C., Tilghman, S. L., Boue, S. M., Salvo, V. A., Elliott, S., Williams, K., Skripnikova, E. V., Ashe, H., Payton-Stewart, F., Vanhoy-Rhodes, L., Fonseca, J. P., Corbitt, C., Collins-Burow, B. M., Howell, M. H., Lacey, M., Shih, B. Y., Carter-Wientjes, C., Cleveland, T. E., McLachlan, J. A., Wiese, T. E., Beckman, B. S., Burow, M. E. (2010).

Glyceollin I, a novel antiestrogenic phytoalexin isolated from activated soy. *Journal of pharmacology and experimental therapeutics*, 332(1), 35-45.