

Supplementary information for

A novel antimicrobial composite: ZnAl-hydrotalcite with p-hydroxybenzoic acid intercalation and its possible application as food packaging material

Hui-Min Cheng^a, Xue-Wei Gao^a, Kang Zhang^a, Xin-Rui Wang^{a,*}, Wei Zhou^a, Shu-Jing Li^a, Xue-Li Cao^{a,*}, Dong-Peng Yan^b

^a Beijing Advanced Innovation Center for Food Nutrition and Human Health, Beijing Technology and Business University, Beijing 100048, China

^b Department of Chemistry, Beijing Normal University, Beijing 100875, PR China

CORRESPONDING AUTHOR FOOTNOTE


* Corresponding author. Phone: +86-10-68985573. E-mail: wangxinrui@th.btbu.edu.cn

List of Contents

Fig. S1. XRD patterns of ZnAl-LDHs (d) Zn:Al=2:1 (e) Zn:Al=3:1 (f) Zn:Al=4:1; CaAl-LDHs (g) Ca:Al=2:1 (h) Ca:Al=3:1 (i) Ca:Al=4:1; MgAl-LDHs (j) Mg:Al=2:1 (k) Mg:Al=3:1 (l) Mg:Al=4:1; MgFeAl-LDHs (j) Mg:Fe:Al=4:1:1 (k) Mg:Fe:Al=6:1:1 (l) Mg:Fe:Al=8:1:1

Fig. S2. FT-IR spectra of (a) ZnAl-LDH(Zn:Al=4:1) (b) PHBA and (c) ZnAl-PHBA-LDH(Zn:Al=4:1).

Fig. S3. TG-DTA curves of ZnAl-CO₃-LDH.







Fig.S1. XRD patterns of ZnAl-LDHs (d) Zn:Al=2:1 (e) Zn:Al=3:1 (f) Zn:Al=4:1; CaAl-LDHs (g) Ca:Al =2:1 (h) Ca:Al =3:1 (i) Ca:Al =4:1; MgAl-LDHs (j) Mg:Al =2:1 (k) Mg:Al =3:1 (l) Mg:Al =4:1; MgFeAl-LDHs (j) Mg:Fe:Al =4:1:1 (k) Mg:Fe:Al =6:1:1 (l) Mg:Fe:Al =8:1:1




Fig.S2. FT-IR spectra of (a) ZnAl-LDH(Zn:Al=4:1) (b) PHBA and (c) ZnAl-PHBA-LDH(Zn:Al=4:1).




Fig. S3. TG-DTA curves of ZnAl-CO₃-LDH.