

Supporting Information

Poly(norepinephrine)-coated FeOOH nanoparticles as carrier of artemisinin for cancer photothermal-chemical combination therapy†

Zi He,^{‡a} Huiling Su,^{‡a} Yuqing Shen,^b Wei Shi,^{*a} Xin Liu,^a Yang Liu,^a Fuhui Zhang,^b Yansheng Zhang,^b Yanan Sun^a and Dongtao Ge^{*a}

^a Key Laboratory of Biomedical Engineering of Fujian Province University/Research Center of Biomedical Engineering of Xiamen, Department of Biomaterials, College of Materials, Xiamen University, Xiamen 361005, China

^b Xiamen Maternal and Child Health Hospital, Xiamen 361003, China

* Corresponding author. Tel/fax: +86 592 2188502.

E-mail addresses: shiwei@xmu.edu.cn (W. Shi), gedt@xmu.edu.cn (D.T. Ge)

† Electronic supplementary information (ESI) available. See DOI:

‡ These authors contributed equally to this work.




Figure S1 X-ray diffraction pattern of FeOOH




Figure S2 NIR adsorption spectra of FeOOH@PNE with different concentrations.




Figure S3 FT-IR spectra of standard Art, FeOOH@PNE and FeOOH@PNE-Art nanoparticles.




Figure S4 Loading efficiency (A) and encapsulation efficiency (B) of Art on FeOOH@PNE




Figure S5 The accumulated release of Art under laser irradiation (808 nm, 10 min) of different power density at pH5.0.




Figure S6 Fluorescence spectra of Rhodamine B (RhB) labeled FeOOH@PNE nanoparticles.




Figure S7 Cell viabilities of 4T1 and L929 cells treated with different concentrations of FeOOH@PNE nanoparticles.