

Supplementary Information

Facile synthesis of NF/ZnOx and NF/CoOx nanostructures for high performance supercapacitor electrode materials

Yedluri Anil Kumar,^{a*} Araveeti Eswar Reddy,^a Jin-Soo Bak,^a In-Ho Cho^a and Hee-Je

Kim^{a*}

^aSchool of Electrical Engineering, Pusan National University, Busandaehak-ro 63beon-gil,
Geumjeong-gu, Busan, 46241, Rep. of KOREA

*Corresponding Author. Tel: +82 51 510 2364. Fax: +82 51 513 0212.

E-mail: heeje@pusan.ac.kr (H.-J. Kim); yedluri.anil@gmail.com (Y. A. Kumar)




Fig. S1 X-ray photoelectron spectroscopy (XPS) spectra of the as-synthesized NF/ZnOx (a) survey spectrum, deconvoluted spectra of (b) Zn 2p, (c) Ni 2p and (d) O 1s.




Fig. S2 X-ray photoelectron spectroscopy (XPS) spectra of the as-synthesized NF/CoOx (a) survey spectrum, deconvoluted spectra of (b) Co 2p, (c) Ni 2p and (d) O 1s.




Fig. S3 Specific surface area and dV/dD pore volume distribution of NF/ZnOx and NF/CoOx.