Gram-scale carbasugars synthesis *via* intramolecular *seleno*-Michael/aldol reaction

Piotr Banachowicz^a and Szymon Buda*^a

^aFaculty of Chemistry, Jagiellonian University, Gronostajowa 2, 30-387 Krakow

szym.buda@gmail.com

Table of Contents

¹ H and ¹³ C NMR spectra	
--	--



¹³C-NMR Spectrum of Compound 6 (CDCl₃)



¹³C-NMR Spectrum of Compound 7 (CDCl₃)



¹³C-NMR Spectrum of Compound 8 (CDCl₃)



¹³C-NMR Spectrum of Compound 5 (CDCl₃)



¹³C-NMR Spectrum of Compound (6R)-5 (CDCl₃)



¹³C-NMR Spectrum of Compound (6S)-5 (CDCl₃)



¹³C-NMR Spectrum of Compound 9 (CDCl₃)



¹³C-NMR Spectrum of Compound (6R)-9 (CDCl₃)



¹³C-NMR Spectrum of Compound (68)-9 (CDCl₃)



¹³C-NMR Spectrum of Compound **10** (CDCl₃)



¹³C-NMR Spectrum of Compound **11** (CDCl₃)



¹³C-NMR Spectrum of Compound **12** (CDCl₃)



¹³C-NMR Spectrum of Compound **13** (CDCl₃)



¹³C-NMR Spectrum of Compound 14 (CDCl₃)



¹³C-NMR Spectrum of Compound **15** (CDCl₃)



¹³C-NMR Spectrum of Compound **18** (CDCl₃)



¹³C-NMR Spectrum of Compound **19** (CDCl₃)



¹³C-NMR Spectrum of Compound **20** (MeOD)