Electronic Supplementary Material (ESI) for Journal of Materials Chemistry B. This journal is © The Royal Society of Chemistry 2019

Supporting information

Poly(lactide-co-glycolide) grafted hyaluronic acid based electrospun fibrous hemostatic fragments for sustainable anti-infection and immunoregulation Wen Liu^{#, 1, 2, 3}, Guanghui Xi^{#, 1, 2, 3}, Xiao Yang^{1, 2, 3, 4}, Xiao Hao⁵, Mingshan Wang⁶, Yakai Feng^{*, 1, 2, 3, 4}, Hao Chen^{*, 1, 2, 3}, Changcan Shi^{*, 1, 2, 3}

- ¹ School of Ophthalmology & Optometry, Eye Hospital, School of Biomedical Engineering, Wenzhou Medical University, Wenzhou, Zhejiang 325027, China
- ² Wenzhou Institute of Biomaterials and Engineering, Wenzhou Institute, University of Chinese Academy of Sciences, Wenzhou, Zhejiang 325011, China
- ³ Engineering Research Center of Clinical Functional Materials and Diagnosis & Treatment Devices of Zhejiang Province, Wenzhou Institute of Biomaterials and Engineering, Wenzhou, Zhejiang 325011 China
- ⁴ School of Chemical Engineering and Technology, Tianjin University, Tianjin 300350, China
- ⁵ Hebei General Hospital, Shijiazhuang, Hebei 050051, China
- ⁶ The First Affiliated Hospital of Wenzhou Medical University, Wenzhou Medical University, Wenzhou, Zhejiang 325000, China
- # Wen Liu and Guanghui Xi contributed equally to this work

Corresponding authors:

Prof., Ph. D., Yakai Feng

School of Chemical Engineering and Technology, Tianjin University, China

E-mail: yakaifeng@tju.edu.cn

Prof., M. D., Hao Chen

School of Ophthalmology & Optometry, Eye Hospital, School of Biomedical

Engineering, Wenzhou Medical University, China

E-mail: chenhao@wibe.ac.cn; Tel: +86-577-88017500

Ph.D., Changcan Shi

Wenzhou Institute of Biomaterials and Engineering, CNITECH, CAS, China

E-mail: shicc@wibe.ac.cn; Tel: +86-577-88017500




Figure S1. Fluid absorption ratio for PLGA-HA FFs with different molar ratio of – NH₂/HA.