Supporting Information

Red-Blood-Cell-Membrane-Enveloped Magnetic Nanoclusters as a Biomimetic Theranostic Nanoplatform for Bimodal Imaging Guided Cancer Photothermal Therapy

Sheng Wang^{#,*}, Yipengchen Yin[#], Wang Song[#], Qin Zhang, Zhijuan Yang, ,Ziliang Dong, Ye Xu, Sanjun Cai, Kuang Wang, Wuli Yang, Xuejun Wang, Zhiqing Pang*, Liangzhu Feng*




Figure S1. EDX spectrum of as-prepared MNCs.




Figure S2. Zeta potentials of Cyp-MNC@RBCs, Cyp-MNCs and RBCs.




Figure S3. Temperature changing curves of MNC@RBCs (a&b), and Cyp-MNC@RBCs (c&d) under the laser exposure and corresponding cooling process.




Figure S4. The temperature changing curves of the aqueous solutions of Cyp-MNC@RBCs during 5 cycles of laser-on and laser-off.




Figure S5. Blood circulation profiles of Cyp-MNCs and Cyp-MNC@RBCs.




Figure S6. H&E staining of slices of (a) brain, (b) heart, (c) lung, (d) spleen, (e) liver and (f) kidney collected from the mice treated with intravenous injection of Cyp-MNC@RBCs plus 808 nm laser irradiation at day 9.