Supplementary Material

Exploring the relationship between cocrystal stability and symmetry: is Wallach's rule applicable to multi-component solids?

T. Friščić, L. Fábián, J. C. Burley, D. G. Reid, M. J. Duer and W. Jones

Figure S1	PXRD pattern for the cocrystal of (caf) (D-ma)	3
Figure S2	PXRD pattern for the cocrystal of (caf) (DL-ma)	3
Figure S3	PXRD pattern for the cocrystal of $(tp)_2$ (D-ta)	4
Figure S4	PXRD pattern for the cocrystal of $(tp)_2$ (DL-ta)	4
Figure S5	PXRD pattern for the cocrystal of (tp) (D-ma)	5
Figure S6	PXRD pattern for the cocrystal of (tp) (DL-ma)	5
Figure S7	PXRD pattern for the cocrystal of (tp) (D-ma) collected using Co K_{α}	6
Figure S8	PXRD pattern for the cocrystal of (tp) (DL-ma) collected using Co K_{α} radiation.	6
Figure S9	PXRD pattern for the cocrystal of (tp) (DL-ma) collected using CoK_{α} radiation, with marked impurites.	7
Figure S10	¹⁵ N CP-MAS spectra for the cocrystals (caf) (D-ma) and (caf) (DL-ma)	7
Figure S11	¹⁵ N CP-MAS spectra for the cocrystals $(tp)_2$ (D-ta) and $(tp)_2$ (DL-ta)	8
Figure S12	¹⁵ N CP-MAS spectra for the cocrystals (tp) (D-ma) and (tp) (DL-ma)	8
Figure S13	¹³ C CP-MAS spectra for the cocrystals (tp) (D-ma) and (tp) (DL-ma)	9
Figure S14	PXRD patterns for the cocrystal of (caf) (D-ma) after exposure to 43% relative humidity	10

	Supplementary Material (ESI) for Chemical Communications This journal is (c) The Royal Society of Chemistry 2008	
Figure S15	PXRD pattern for the cocrystal of (caf) (D-ma) after exposure to 75% relative humidity	11
Figure S16	PXRD pattern for the cocrystal of (caf) (D-ma) after exposure to 98% relative humidity	12
Figure S17	PXRD patterns for the cocrystal of (caf) (DL-ma) after exposure to 43% relative humidity	13
Figure S18	PXRD pattern for the cocrystal of (caf) (DL-ma) after exposure to 75% relative humidity	14
Figure S19	PXRD pattern for the cocrystal of (caf) (DL-ma) after exposure to 98% relative humidity	15
Figure S20	PXRD patterns for the cocrystal of $(tp)_2$ (D-ta) after exposure to 43% relative humidity	16
Figure S21	PXRD pattern for the cocrystal of $(tp)_2(D-ta)$ after exposure to 75% relative humidity	17
Figure S22	PXRD pattern for the cocrystal of $(tp)_2$ (D-ta) after exposure to 98% relative humidity	18
Figure S23	PXRD patterns for the cocrystal of $(tp)_2$ (DL-ta) after exposure to 43% relative humidity	19
Figure S24	PXRD pattern for the cocrystal of $(tp)_2$ (DL-ta) after exposure to 75% relative humidity	20
Figure S25	PXRD pattern for the cocrystal of $(tp)_2$ (DL-ta) after exposure to 98% relative humidity	21
Figure S26	PXRD patterns for the cocrystal of (tp) (D-ma) after exposure to 43% relative humidity	22
Figure S27	PXRD pattern for the cocrystal of (tp) (D-ma) after exposure to 75% relative humidity	23
Figure S28	PXRD pattern for the cocrystal of (tp) (D-ma) after exposure to 98% relative humidity	24
Figure S29	PXRD patterns for the cocrystal of (tp) (DL-ma) after exposure to 43% relative humidity	25
Figure S30	PXRD pattern for the cocrystal of (tp) (DL-ma) after exposure to 75% relative humidity	26
Figure S31	PXRD pattern for the cocrystal of (tp) (DL-ma) after exposure to 98% relative humidity	27
Figure S32	DSC thermogram for the (tp) (D-ma) cocrystal.	28
Figure S33	DSC thermogram for the (tp) (DL-ma) cocrystal.	28
Figure S34	DSC thermogram for the $(tp)_2$ (D-ta) cocrystal.	29
Figure S35	DSC thermogram for the $(tp)_2$ (DL-ta) cocrystal.	29



Figure S1. PXRD pattern for the cocrystal of (caf) (D-ma)



Figure S2. PXRD pattern for the cocrystal of (caf) (DL-ma)



Figure S3. PXRD pattern for the cocrystal of (tp) (D-ta)



Figure S4. PXRD pattern for the cocrystal of (tp) (DL-ta)



Figure S5. PXRD pattern for the cocrystal of (**tp**) (**D-ma**)



Figure S6. PXRD pattern for the cocrystal of (tp) (DL-ma)





Figure S7. PXRD pattern for the cocrystal of (**tp**) (**D-ma**) collected using CoK_{α} radiation.



Figure S8. PXRD pattern for the cocrystal of (**tp**) (**DL-ma**) collected using CoK_{α} radiation.





Figure S9. PXRD pattern for the cocrystal of (**tp**)(**DL-ma**) collected using CoK_{α} radiation, with marked impurites of theophylline (T, 0.5 %) and DL-malic acid (M, 6.5 %).



Figure S10. ¹⁵N CP-MAS spectra for the cocrystals (**caf**) (**D-ma**) (bottom) and (**caf**) (**DL-ma**) (top)



Figure S11. ¹⁵N CP-MAS spectra for the cocrystals (**tp**) (**D-ta**) (bottom) and (**tp**) (**DL-ta**) (top).



Figure S12. ¹⁵N CP-MAS spectra for the cocrystals (**tp**) (D-ma) (bottom) and (**tp**) (**DL-ma**) (top).



Figure S13. ¹³C CP-MAS spectra for the cocrystals (**tp**) (D-ma) (bottom) and (**tp**) (**DL-ma**) (top).





Figure S14. PXRD patterns for the cocrystal of (**caf**) (**D-ma**) after exposure to 43% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S15. PXRD patterns for the cocrystal of (**caf**) (**D-ma**) after exposure to 75% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Figure S16. PXRD patterns for the cocrystal of (**caf**) (**D-ma**) after exposure to 98% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S17. PXRD patterns for the cocrystal of (**caf**) (**DL-ma**) after exposure to 43% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S18. PXRD patterns for the cocrystal of (**caf**) (**DL-ma**) after exposure to 75% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S19. PXRD patterns for the cocrystal of (**caf**) (**DL-ma**) after exposure to 98% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Supplementary Material (ESI) for Chemical Communications

Figure S20. PXRD patterns for the cocrystal of $(tp)_2$ (**D-ta**) after exposure to 43% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Figure S21. PXRD patterns for the cocrystal of $(tp)_2$ (**D-ta**) after exposure to 75% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S22. PXRD patterns for the cocrystal of $(tp)_2$ (**D-ta**) after exposure to 98% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S23. PXRD patterns for the cocrystal of $(tp)_2$ (**DL-ta**) after exposure to 43% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S24. PXRD patterns for the cocrystal of $(tp)_2$ (**DL-ta**) after exposure to 75% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Supplementary Material (ESI) for Chemical Communications This journal is (c) The Royal Society of Chemistry 2008

Figure S25. PXRD patterns for the cocrystal of $(tp)_2$ (**DL-ta**) after exposure to 98% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S26. PXRD patterns for the cocrystal of (**tp**) (**D-ma**) after exposure to 43% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Figure S27. PXRD patterns for the cocrystal of (**tp**) (**D-ma**) after exposure to 75% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Figure S28. PXRD patterns for the cocrystal of (**tp**) (**D-ma**) after exposure to 98% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.



Figure S29. PXRD patterns for the cocrystal of (**tp**) (**DL-ma**) after exposure to 43% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.





Figure S30. PXRD patterns for the cocrystal of (**tp**) (**DL-ma**) after exposure to 75% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.

Figure S31. PXRD patterns for the cocrystal of (**tp**) (**DL-ma**) after exposure to 98% relative humidity for: a) 1 day; b) 2 days; c) 3 days and d) 7 days.

Figure 32. DSC thermogram for the (tp) (D-ma) cocrystal.

Figure 33. DSC thermogram for the (tp) (DL-ma) cocrystal.

Figure 34. DSC thermogram for the (tp)₂ (D-ta) cocrystal.

Figure 35. DSC thermogram for the (tp)₂ (DL-ta) cocrystal.