

Supplementary Material

Boosted CO₂ reaction with methanol to yield dimethyl carbonate over Mg-Al hydrotalcite-silica lyogel

S.Dragos,^{a,b} E.Taboada,^{c,d} J.Llorca,^{c,d} E. Molins,^e F.Medina,^{a,b*} A.M. Segarra^{a,b**}

^aDepartament d'Enginyeria Química, Universitat Rovira i Virgili, Av. Països Catalans, 26, Campus Sescelades, Tarragona, Spain 43007. Fax.: +34 977 559 651. Telf.: +34 977 559 621. e-mail: anamaria.segarra@urv.cat

^bEMaS- Research Center on Engineering of Materials and Micro/nano Sistems, U. Rovira i Virgili, Marcel·lí Domingo, Tarragona, Spain 43007

^cInstitut de Tècniques Energètiques, Universitat Politècnica de Catalunya Diagonal 647, ed. ETSEIB, Barcelona, Spain 08028

^dCentre for Research in NanoEngineering (CRnE-UPC). Universitat Politècnica de Catalunya, Pasqual i Vila 1-15, 08028 Barcelona, Spain.

^eInstitut de Ciència de Materials de Barcelona (ICMAB-CSIC), Campus UAB, 08193 Bellaterra, Spain




Figure SM1. Pore size distribution of samples LG calcined at 723 K (full triangles) and LG-HTO (empty circles).




Figure SM2. TEM image of LG-HTO sample (0.5 μm). The colloidal networked structure of the material can be observed, responsible of a wide distribution of pore sizes.