

## **Interwoven coordination polymers sustained by tautomeric forms of the bridging ligand†**

**Pavel Poplaukhin<sup>a</sup> and Edward R. T. Tiekink<sup>\*b,c</sup>**

*a* Chemical Abstracts Service, 2540 Olentangy River Rd, Columbus, Ohio 43202, U.S.A.

*b* School of Materials Science and Engineering, Nanyang Technological University, Nanyang Avenue, Singapore 639798.


*c* Department of Chemistry, University of Malaya, Kuala Lumpur, Malaysia. E-mail:

[Edward.Tiekink@gmail.com](mailto:Edward.Tiekink@gmail.com); Fax: +60 3 7967 6775; Tel: +60 3 7967 4193


### **– SUPPLEMENTARY MATERIALS –**

**Figure S1.** (a) Supramolecular chain mediated by O-H...O hydrogen bonding (orange dashed lines) involving hydroxyl groups in (**1b**) viewed side-on and (b) a pair of threaded supramolecular chains represented in space filling mode with one chain emphasized in purple.

**Figure S1.** (a) Supramolecular chain mediated by O-H...O hydrogen bonding (orange dashed lines) involving hydroxyl groups in (**1b**) viewed side-on and (b) a pair of threaded supramolecular chains represented in space filling mode with one chain emphasized in purple.



(a)



(b)