

Supporting information

Microwave-assisted Preparation and Photocatalytic Property of Zn₂GeO₄ Nanorod Bundles

Lei Zhang,^a Xiao-Feng Cao,^a Ying-Li Ma,^a Xue-Tai Chen^{*a} and Zi-Ling Xue^b

^a State Key Laboratory of Coordination Chemistry, Nanjing National Laboratory of Microstructures, School of Chemistry and Chemical Engineering, Nanjing University, Nanjing 210093, P. R. China E-mail: xtchen@netra.nju.edu.cn; Fax: +86-25-83314502.

^b Department of Chemistry, The University of Tennessee, Knoxville, Tennessee 37996-1600, USA




Figure S1 XRD patterns of the products at different reaction temperatures: (a) 190 °C and (b) 140 °C. (*: Zn(OH)₂ 72-2032 and #: GeO₂: 83-0548)




Figure S2 The XRD patterns of the products with different volume of En: (a) 0 mL, (b) 0.5 mL and (c) 2 mL. (*: $\text{Zn}(\text{OH})_2$ 72-2032 and #: GeO_2 : 83-0548)




Figure S3 A local enlargement XRD patterns indicated in Figure 7a. (*: $\text{Zn}(\text{OH})_2$ 72-2032 and #: GeO_2 : 83-0548).




Figure S4 Absorption spectra of the RhB solution in the presence of Zn_2GeO_4 nanobundles under exposure to UV light.