

One-dimensional Sb₂Se₃ Nanostructures: Controllable Synthesis, Growth Mechanism, Optical and Electrochemical Properties

*Jianmin Ma, Yaping Wang, Yijing Wang, Peng Peng, Jiabiao Lian, Xiaochuan Duan, Zhifang Liu,
Xiaodi Liu, Tongil Kim, Gang Yao, and Wenjun Zheng**

Department of Materials Chemistry,

Key Laboratory of Advanced Energy Materials Chemistry (MOE)

College of Chemistry, Nankai University

Tianjin 300071, P. R. China

Email address: zhwj@nankai.edu.cn

Corresponding Author Footnote: To whom correspondence should be addressed.

Phone: +86-551-23507951; Fax: +86-22-23502458. E-mail: zhwj@nankai.edu.cn




Fig. S1 SEM image of the sample synthesized under the the same condition as the nanowires except with antimony triacetate as antimony source.




Fig. S2. SEM images of the samples synthesized from the mixed solution of distilled water and other solvent with volume ratio (2:3) at 180 °C: (a) DMF and (b) EG.




Fig. S3. SEM images of the samples synthesized from the mixed solution of distilled water and N-MeIm with different volume ratio: (a) pure distilled water; (b) 1:4; (c) 4:1; and (d) pure N-MeIm.