

Polymorphism and phase transformations of a cocrystal of nicotinamide and pimelic acid

Srinivasulu Aitipamula,^{*,a} Annie B. H. Wong,^a Pui Shan Chow,^a and Reginald B.H. Tan^{*,a,b}

^a*Institute of Chemical and Engineering Sciences, A*STAR (Agency for Science, Technology and Research), 1, Pesek Road, Jurong Island, Singapore, 627833. Tel: (65) 6796 3858, Fax: (65) 6316 6183.*

Email: srinivasulu_aitipamula@ices.a-star.edu.sg

^b*Department of Chemical & Biomolecular Engineering, National University of Singapore, 4 Engineering Drive 4, Singapore 117576.*

Email: reginald_tan@ices.a-star.edu.sg

Electronic Supplementary Information (3 Pages)

Contents

- Fig. S1** ORTEP diagrams
- Fig. S2** TGA profiles of Form 1 and Form 2.
- Fig. S3** Comparison of the PXRD patterns of the samples obtained in the grinding experiments




Fig. S1 ORTEP diagrams of crystal structures of the NA-PA cocrystal polymorphs. Thermal ellipsoids are drawn at 50 % probability.




Fig. S2 TGA profiles of Form 1 and Form 2.




Fig. S3 Comparison of the PXRD patterns of the samples obtained in the solid-drop grinding experiments on 1:1 NA and PA. Notice that in all the experiments only Form 1 was obtained.