

SUPPORTING INFORMATION

Stereospecific Generation of Homochiral Helices in Coordination Polymers Built from Enantiopure Binaphthyl-Based Ligands

M. Carla Aragoni,^{a*} Massimiliano Arca,^a Samantha K. Callear,^b Marco Caricato,^c Miriam Crespo Alonso,^a Simon J. Coles,^d Franco Isaia,^a Romina Lai,^a Vito Lippolis,^a Dario Pasini^{c*}

^a*Dipartimento di Scienze Chimiche e Geologiche, Università degli Studi di Cagliari, Cittadella Universitaria, S.S. 554 bivio Sestu, 09042 Monserrato Cagliari, Italy*

^b*ISIS Facility, Rutherford Appleton Laboratory, Harwell Oxford, Didcot, Oxfordshire, OX11 0PF, UK*



^c*Department of Chemistry and INSTM Research Unit, University of Pavia, Viale Taramelli 10, 27100 Pavia, Italy*







^d*UK National Crystallography Service. Chemistry, Faculty of Natural and Environmental Sciences, University of Southampton, Southampton, SO17 1BJ, UK*

Email: aragoni@unica.it

Content List

Page 2:	IR Spectrum for (1·L)_∞
Page 3:	IR Spectrum for (2·L)_∞
Page 4:	¹H-NMR Spectrum for L
Page 5:	Mass Spectrum for L





\\Freia\Archivio2\...
DP159A in MeOH

DP159A (DY163A)

2/15/2006 11:38:52 AM

Idcor003 #28 RT: 0.70 AV: 1 NL: 1.25E6
T: + c Full ms [150.00-2000.00]

$[M+H]^+$
577.4

$[M+H]^+$
555.6

$[2M+H]^+$
1131.1

