

Chemoresistive sensing of light alkanes with SnO₂ nanocrystals: a DFT-based insight

Mauro Epifani,^{*a} J. Daniel Prades,^{b,§} Elisabetta Comini,^c Albert Cirera,^b Pietro Siciliano,^a Guido Faglia^c and Joan R. Morante^{b,d}

^aConsiglio Nazionale delle Ricerche – Istituto per la Microelettronica ed I Microsistemi (CNR -IMM), via Monteroni c/o Campus Universitario, I-73100, Lecce (Italy); e-mail: mauro.epifani@le.imm.cnr.it

^bEME/XaRMAE/IN²UB, Departament d'Electrònica, Universitat de Barcelona, C.\ Martí i Franquès 1, E-08028 Barcelona, Spain;

^cCNR-INFM and Dip. Chimica e Fisica per l'Ingegneria e i Materiali, SENSOR, Università di Brescia, via Valotti 9, Brescia, Italy;

^dInstitut de Recerca en Energia de Catalunya (IREC),C/ Josep Pla 2, 08019 Barcelona, Spain.




Figure S1: Calibration data for the sensing of the indicated alkanes at 400 °C, both in dry air and with 40% RH.

[§] Current affiliation: Institut de Recerca en Energia de Catalunya -IREC




Figure S2: Calibration data for ethane sensing at the indicated temperatures, in air with 40% RH.