

Crystal structure of the ionic liquid EtNH₃NO₃—Insights into the thermal phase behavior of protic ionic liquids

Wesley A. Henderson,^{*a,b} Paul Fylstra,^a Hugh C. De Long,^c Paul C. Trulove^a and Simon Parsons^d

^a Department of Chemistry, U.S. Naval Academy, Annapolis, MD 21402, USA. Fax: 1-410-293-2218; Tel: 1-410-293-6622; E-mail: trulove@usna.edu

^b Ionic Liquids & Electrolytes for Energy Technologies (ILEET) Laboratory, Department of Chemical & Biomolecular Engineering, NC State University, Raleigh, NC 27695-7905, USA. Fax: 1-919-515-3465; Tel: 1-919-513-2917; E-mail: whender@ncsu.edu

^c U.S. Air Force Office of Scientific Research, Arlington, VA 22203, USA. Fax: 1-703-696-7360; Tel: 1-703-696-7722; E-mail: hugh.delong@afosr.af.mil

^d School of Chemistry, University of Edinburgh, Edinburgh, Scotland EH9 3JJ. Fax: 0131 650 4743; Tel: 0131 650 5804; E-mail: s.parsons@ed.ac.uk




Figure S1. ¹H and ¹³C NMR data for EtNH₃NO₃ in CD₃CN.




Figure S2. Raman spectra of (top) EtNH₃NO₃ and (bottom) EtNH₃Cl.