

Cite this: DOI: 10.1039/c0xx00000x


www.rsc.org/xxxxxx

## ARTICLE


**Molecular Basis for Solvent Dependent Morphologies Observed in Electrosprayed Surfaces**Elif Özden-Yenigün,<sup>a</sup> Eren Şimşek,<sup>a,b</sup> Yusuf Ziya Menceloglu<sup>a</sup> and Canan Atilgan\*<sup>a</sup>

Received (in XXX, XXX) Xth XXXXXXXXX 20XX, Accepted Xth XXXXXXXXX 20XX

DOI: 10.1039/b000000x



**Fig. S1** Isosurfaces representing the mesoscopic morphologies formed at different concentrations. Structures are displayed via isosurfaces defined around all oligomer beads.



**Fig. S2** Snapshots of two oligomers (5% polymer by volume) a) in THF b) in DMF and c) in THF/DMF 1:1 media revealing the same aggregation behaviour as in Fig 8a inset.

**Notes**

15

<sup>a</sup> Sabancı University, Faculty of Engineering and Natural Sciences, Material Science and Engineering Program, Istanbul, Turkey.

<sup>b</sup> Ak-kim Kimya Sanayi ve Tic. A. S. Ar-Ge Direktorlugu, Ciftlikkoy Yalova, Turkey.

<sup>40</sup> \* Sabancı University, Faculty of Engineering and Natural Sciences, Material Science and Engineering Program, Istanbul, Turkey.  
Fax: +90 (216) 483 95 50; Tel: +90 (216) 483 95 23; E-mail: canan@sabanciuniv.edu