

Supporting Information

For

**Ordered Fibrillar Morphology of Donor-Acceptor Conjugated
Copolymer at Multiple Scales via Blending with Flexible Polymer
and Solvent Vapor Annealing: Insight into Photophysics and
Mechanism**

*Haiyang Wang, Jiangang Liu, Yaozhuo Xu, Xinhong Yu, Rubo Xing and Yanchun Han**

State Key Laboratory of Polymer Physics and Chemistry, Changchun Institute of

Applied Chemistry, Chinese Academy of Sciences

5625 Renmin Street, Changchun 130022, P. R. China

University of the Chinese Academy of Sciences

No.19A Yuquan Road, Beijing 100049, P. R. China

Tel: 86-431-85262175, Fax: 86-431-85262126

Email: ychan@ciac.ac.cn

* To whom correspondence should be addressed

Figure S1 The UV-Vis spectra of (a) blending films with PS of different MW and (b) PDBT-TT/PS13.7k films with different ratios of PDBT-TT/PS by weight.




Figure S2 TEM images of (a) the SVA PDBT-TT spin-coating film and (b) remSVA film with the corresponding SAED patterns. The scale bar represents 1 μm .




Figure S3 AFM image and height profile of PDBT-TT nanofibrils in PDBT-TT/PS13.7k (1/10, w/w) blendSVA films.




Figure S4 The photoluminescence spectra of PDBT-TT films prepared by different methods without normalization.

