

Synthesis and Photocatalysis Performances of Bismuth Oxynitrate Photocatalysts with Layered Structure

*Bin Lu^{a,b}, Yongfa Zhu^{*a}*

a. Department of Chemistry, Tsinghua University, Beijing, 100084, P. R. China

b. Shanghai Municipal Engineering Design Institute, Shanghai 200092, PR China

Fig. S1. Powder diffraction patterns of as-prepared goffered particle samples (0.8 g, the precursor pH = 1.22) with or without suspended in 9 mL of 1 M NaOH solution for 120 min

Fig. S2. Powder diffraction patterns of as-prepared bismuth oxynitrate calcined in air under different temperature for 2h.

Fig. S3. The crystal structures of layered bismuth oxynitrate, $\text{Bi}_5\text{O}_7\text{NO}_3$, and $\beta\text{-Bi}_2\text{O}_3$.

Fig. S4. Plots of the recycled degradation of methyl blue in the square multi-layered particle sample as a function of the irradiation period.

Fig. S1




Fig. S2







Fig. S3



(a) Layered crystal structure of layered bismuth oxynitrate



(b) Crystal structure of $\text{Bi}_5\text{O}_7\text{NO}_3$



(c) Reticular crystal structure of Bi_2O_3

Fig. S4

