

Supporting Information

Polymer Nanofibers: Preserving nanomorphology in ternary blend organic photovoltaics

Teddy Salim,^a Jun Yan Lek,^a Björn Bräuer,^b Denis Fichou^{c,d,e} and Yeng Ming Lam^{a}*

^aSchool of Materials Science and Engineering, Nanyang Technological University, 50 Nanyang Avenue, Singapore 639798, Singapore

^bStanford Institute for Materials and Energy Science, Stanford University, CA, 94025, USA

^c*Sorbonne Universités, UPMC Univ Paris 06, UMR 8232, Institut Parisien de Chimie Moléculaire, F-75005, Paris, France*

^d*CNRS, UMR 8232, Institut Parisien de Chimie Moléculaire, F-75005, Paris, France.*

^eSchool of Physical and Mathematical Sciences, Nanyang Technological University, Singapore 637371.

* To whom correspondence should be addressed. Email: ymlam@ntu.edu.sg

Figure S1. AFM topography images of P3HT:Ir(ppy)₃ binary blend with scan size of: (a) 50 x 50 μm and (b) 10 x 10 μm . Ir(ppy)₃ concentration in the blend is 5 wt%.




Figure S2. Visible light optical microscope images of rr-P3HT:PCBM:Ir(ppy)₃ ternary blend films prepared on glass substrates and annealed at 150 $^{\circ}\text{C}$ for: (a) 0 min, (b) 10 min, (c) 20 min and (d) 30 min. Ir(ppy)₃ concentration in the blends is 5 wt%. The scale bar indicates length of 100 μm .




Figure S3. Tapping-mode AFM topography image ($4\ \mu\text{m} \times 4\ \mu\text{m}$) of P3HT nanofibers (P3HT-NF) spincoated on silicon substrate.

