

Supporting Information

Solvent-free aerobic oxidation of alcohols using supported gold palladium nanoalloys prepared by a modified impregnation method

Moataz Morad,^a Meenakshisundaram Sankar,^{a,b} Enhong Cao,^{c,d} Ewa Nowicka,^a Thomas E. Davies,^{a,e} Peter J. Miedziak,^a David J. Morgan,^a David W. Knight,^a Donald Bethell,^{a,e} Asterios Gavriilidis,^{c,d} and Graham J. Hutchings*^a

^a *School of Chemistry, Cardiff University, Main Building, Park Place, Cardiff, CF10 3AT, UK.*

^b *Inorganic Chemistry and Catalysis Group, Debye Institute of Nanomaterials and Science, Utrecht University, Utrecht, The Netherlands.*

^c *Department of Chemical Engineering, University College London, Torrington Place, London WC1E 7JE, UK.*

^d *Materials Chemistry Centre, University College London, 20 Gordon Street, London WC1H 0AJ, UK.*

^e *Department of Chemistry, University of Liverpool, Liverpool L69 3BX, UK*

*Correspondence to Graham J. Hutchings, Cardiff Catalysis Institute, School of Chemistry, Cardiff University, Cardiff, CF10 3AT (UK), Fax: (+44) 2920-874-030, E-mail:

hutch@cardiff.ac.uk




Figure S1: Particle size distribution for 1% Au-Pd/ TiO₂ samples used for reaction in Glass reactor prepared by different methods (a) CIm, (b) Sim, (c) Mim




Figure S2: Particle size distribution for 1% (Au-Pd)TiO₂ samples used for reaction in MBR Sim: (a) standard reaction, (b) oxidation in O₂ at 120 °C for 1h, (c) activation in reaction

mixture from 80 to 120°C before reaction overnight in O₂, Mim: (d) standard reaction, (e) activation in reaction mixture from 80 to 120°C before reaction.