Supporting information

Ferrocene-Linked Covalent Organic Polymer as Peroxidase -Enzyme Mimics for Dualchannel Detection of Hydrogen Peroxide

Qiong Hu, ^a Yishan Fang, ^b Xiongtao Yu, ^a Jianzhi Huang, ^a and Lishi Wang* ^a

^a Key Laboratory of Functional Molecular Engineering of Guangdong Province, School of Chemistry and Chemical Engineering, South China University of Technology, Guangzhou 510641, China. E-mail: wanglsh@scut.edu.cn

^b State Key Laboratory of Biobased Material and Green Papermaking, School of Food Science and Engineering, Qilu University of Technology, Shandong Academy of Sciences, Jinan, 250353, China.




Fig.S1 SEM of MCOP-NFC

Table S1 List of limit of detection (LOD) values of various peroxidase mimicking materials for the detection of H_2O_2 .

Materials	Detection Method		
	Electrochemica l channel	Colorimetric channel	Reference
Au@PtNP/GO	1.62 μΜ		[1]
CuCo ₂ O ₄	3.0 μΜ		[2]
2D Cu-TCPP/MWCNT	0.70 μΜ		[3]
In-aip	0.87 μΜ		[4]
NiCo LDH	0.48 μΜ		[5]
Fe ₃ O ₄ MNPs		3.0 μΜ	[6]
CuFKZP ₂ W ₁₈ /PPy		0.07 μΜ	[7]
Ni ₄ SiW ₁₂ NPs		$2.07 \mu M$	[8]
RuO ₂ NPs	0.18 μΜ	1.8 μΜ	[9]
COP-NFC	0.08 μΜ	2.1 μΜ	This work

References

- [1] E. Ko, V.-K. Tran, S.E. Son, W. Hur, H. Choi, G.H. Seong, Characterization of Au@PtNP/GO nanozyme and its application to electrochemical microfluidic devices for quantification of hydrogen peroxide, Sensors and Actuators B: Chemical 294 (2019) 166-176.
- [2] T.W. Di Cheng, Guangxue Zhang, Huimin Wu, He Mei A novel nonenzymatic electrochemical sensor based on doubleshelled CuCo2O4 hollow microspheres for glucose and H2O2, Journal of Alloys and Compounds 819 (2020) 153014.
- [3] S.H. Caoyu Wang, Lingzi Luo, Ying Zhou, Xingchang Lu, Geng Zhang, Huan Ye, Jiangjiang Gu, Feifei Cao, Ultrathin two-dimension metal-organic framework nanosheets/multi-walled carbon nanotube composite films for the electrochemical detection of H2O2, Journal of Electroanalytical Chemistry 835 (2019) 178–185.
- [4] Q.L. Di Ning, Qian Wang, Xiao-Meng Du, Wen-Juan Ruan, Yue Li, Luminescent MOF nanosheets for enzyme assisted detection of H2O2 and glucose and activity assay of glucose oxidase, Sensors & Actuators: B. Chemical 282 (2019) 443–448.
- [5] H.X. Yue Sun, Xi Zhao, Zengyu Hui, Chenyang Yu, Lumin Wang, Jialu Xue, Yue Zhao, Ruicong Zhou, Henghan Dai, Chunyang Miao, Qiang Chen, Jinyuan Zhou, Gengzhi Sun and Wei Huang, Identifying the active site of ultrathin NiCo LDH as an efficient peroxidase mimic with superior substrate affinity for sensitive detection of hydrogen peroxide, J. Mater. Chem. B 7(40) (2019) 6232-6237.
- [6] H. Wei, E. Wang, Fe3O4 Magnetic Nanoparticles as Peroxidase Mimetics and Their Applications in H2O2 and Glucose Detection, Analytical chemistry 80(6) (2008) 2250-2254. [7] J.-Q. Sha, Q. Li, M. Xu, X. Li, S. Li, L. Hou, Y.-H. Chen, Polypyrrole Coating Eightfold Helical Wells-Dawson POMs based Cu-FKZ Framework for Boosting Colorimetric Sensing, Analyst (2020).
- [8] Z. Tong, M. Xu, Q. Li, C. Liu, Y. Wang, J. Sha, Polyelectrolyte-functionalized reduced graphene oxide wrapped helical POMOF nanocomposites for bioenzyme-free colorimetric biosensing, Talanta 220 (2020) 121373.
- [9] S.-B. He, P. Balasubramanian, Z.-W. Chen, Q. Zhang, Q.-Q. Zhuang, H.-P. Peng, H.-H. Deng, X.-H. Xia, W. Chen, Protein-Supported RuO2 Nanoparticles with Improved Catalytic Activity, In Vitro Salt Resistance, and Biocompatibility: Colorimetric and Electrochemical Biosensing of Cellular H2O2, ACS Applied Materials & Interfaces 12(13) (2020) 14876-14883.