

Supporting Information

Sustained Release of Inhibitor from Bionic Scaffolds for Promoting Wound Healing and Functional Regeneration

Jifang Yuan^{a,b,c,f#}, Qian Hou^{a,b,c#}, Lingzhi Zhong^{a,b,c}, Xin Dai^f, Qiang Lu^{e,g,h*}, Meirong Li^{a,b,c,d*} and Xiaobing Fu^{a,b,c*}

^aResearch Center for Tissue Repair and Regeneration affiliated to the Medical Innovation Research Department and 4th Medical Center, PLA General Hospital and PLA Medical College

^bPLA Key Laboratory of Tissue Repair and Regenerative Medicine and Beijing Key Research Laboratory of Skin Injury, Repair and Regeneration

^cResearch Unit of Trauma Care, Tissue Repair and Regeneration, Chinese Academy of Medical Sciences 2019RU051

^dCentral Laboratory, Trauma Treatment Center, Central Laboratory, Chinese PLA General Hospital, Hainan Hospital, Sanya, China

^eNational Engineering Laboratory for Modern Silk & Collaborative Innovation Center of Suzhou Nano Science and Technology, Soochow University, Suzhou 215123, P. R. China

^fLaboratory Animal Center, Chinese PLA General Hospital, Beijing 100853, P. R. China.


^gEngineering Research Center of the Ministry of Education for Wound Repair Technology, Jiangnan University, Wuxi 214041, P. R. China

^hDepartment of Burns and Plastic Surgery, The Affiliated Hospital of Jiangnan University, Wuxi 214041, P. R. China


*Correspondence to: Xiaobing Fu, fuxiaobing@vip.sina.com; Meirong Li meirong811225@126.com; Qiang Lu, lvqiang78@suda.edu.cn

The supporting information has 3 pages and contains 2 figures.

Supplemant figures and figure legends.



Supplemant figure 1. This is the experimental schema of this study.



Supplement figure 2. HE staining of cutaneous wound-healed tissues in the SB216763 direct injection group.