

Supplementary information for

**Orientation loss of microcrystals of DyBa₂Cu₃O_y in polymer composite during curing of
the medium under an external magnetic field**

Tsunehisa Kimura,^{a,b,*} Hayato Kashiwagi,^c Fumiko Kimura,^d Shigeru Horii,^d Kazuki Takeda,^e
and Toshiya Doi^c

^aFukui University of Technology, 3-6-1 Gakuen, Fukui 910-8505, Japan

^bKyoto University, Sakyo-ku, Kyoto 606-8502, Japan

^cGraduate School of Energy Science, Kyoto University, Yoshida-Honmachi, Sakyo-ku, Kyoto
606-8501, Japan

^dNagamori Institute of Actuators, Kyoto University of Advanced Science, Yamanouchi-
Gotandacho, Ukyo-ku, Kyoto 615-8577, Japan

^eDivision of Chemistry, Graduate School of Science, Kyoto University, Kyoto 606-8502, Japan

* Email: tkimura@kais.kyoto-u.ac.jp, tkimura@fukui-ut.ac.jp

This PDF file includes:

Supplementary Note

Fig. S1 to S3

Supplementary Note

Because the data points are scattered, fittings are carried out for the data set in which some scattered data points are omitted. The results of fitting are indicated by solid curves. The parameters used are summarized in Table 1.

Supplementary Figures




Fig. S1 Fitting results for a 10 h sample where all data points are used (*10 h) and some scattered data points are omitted (10 h (1)). Omitted points are not shown.




Fig. S2 Fitting results for a 20 h sample where all data points are used (*20 h) and some scattered data points are omitted (20 h (1), 20 h (2), 20 h (3)). Omitted points are not shown.




Fig. S3 Fitting results for a 30 h sample where all data points are used (*30 h) and some scattered data points are omitted (30 h (1), 30 h (2)). Omitted points are not shown.