Supplementary Information

Thermal transport properties of novel twodimensional CSe

Bing Lv^{a,b}, Xiaona Hu^c, Xuefei Liu^{a,b}, Zhaofu Zhang^d, Jia Song^e, Zijiang Luo^f, and Zhibin Gao^{*g}

^a College of Physics and Electronic science, Guizhou Normal University, Guiyang 550025, China.
^b Key Laboratory of Low Dimensional Condensed Matter Physics of Higher Educational Institution of Guizhou Province, Guizhou Normal University, Guiyang 550025, China.
^c School of Biological Sciences, Guizhou Education University, Guiyang 550018, China.
^d Department of Engineering, Cambridge University, Cambridge, CB2 1PZ, United Kingdom.
^e Shanghai Engineering Research Center of 3D Printing Materials, Shanghai Research Institute of Materials, Shanghai 200437, China.
^f School of Information, Guizhou University of Finance and Economics, Guiyang 550025, China.
^g Department of Physics, National University of Singapore, Singapore 117551, Republic of Singapore.

E-mail: zhibin.gao@nus.edu.sg

Contents :

Fig. S1: The convergence tests of κ_{lat} for RTA and iterative solution with different q-grid at 300 K.

Fig. S2: The convergence tests of κ_{lat} for different scale broadening parameters with 200x200x1 q-grid at 300 K



Fig. S1: (a) The convergence tests of κ_{lat} for the iterative solution with different q-grid at 300 K. (b) The convergence tests of κ_{lat} for RTA solution with different q-grid at 300 K.



Fig. S2: The convergence tests of κ_{lat} for different scale broadening parameters with 200x200x1 q-grid at 300 K.