SUPPLEMENTARY INFORMATION

Anchoring a bow-shaped boron single chain in binary Be₆B₇⁻ cluster: hybrid octagonal ring, multifold π/σ aromaticity, and dual electronic transmutation

Lin-Yan Feng, Kang Wang, and Hua-Jin Zhai*

Nanocluster Laboratory, Institute of Molecular Science, Shanxi University, Taiyuan 030006, China

*E-mail: hj.zhai@sxu.edu.cn

Table S1Cartesian coordinates for selected optimized structures of $Be_6B_7^-$ cluster at the
PBE0/6-311+G(d) level. (a) Global-minimum (GM) C_{2v} (1A_1) cluster. (b)
Sandwich-type C_1 (1A) structure. (c) Helix-type C_2 (1A) structure.

Figure S1 Selected optimized sandwich- and helix-type isomeric structures of $Be_6B_7^$ cluster at the PBE0/6-311+G(d) level along with their relative energies (in kcal mol⁻¹) above the GM structure, including zero-point energy (ZPE) corrections. Also presented are energetics data at the PBE0-D3/6-311+G(d) (in *italics*, with ZPE corrections), B3LYP/6-311+G(d) (in curly brackets, with ZPE corrections), and single-point CCSD(T)/6-311+G(d)//PBE0/6-311+G(d) levels (in square brackets), respectively. These isomeric structures are higher in energy with respect to the low-lying structures shown in Figure 2 in the main text. Figure S1. Selected optimized sandwich- and helix-type isomeric structures of Be₆B₇⁻ cluster at the PBE0/6-311+G(d) level along with their relative energies (in kcal mol⁻¹) above the GM structure, including zero-point energy (ZPE) corrections. Also presented are energetics data at the PBE0-D3/6-311+G(d) (in *italics*, with ZPE corrections), B3LYP/6-311+G(d) (in curly brackets, with ZPE corrections), and single-point CCSD(T)/6-311+G(d)//PBE0/6-311+G(d) levels (in square brackets), respectively. These isomeric structures are higher in energy with respect to the low-lying structures shown in Figure 2 in the main text.



*C*₁ (¹A) 24.46 *24.94* {51.70} [41.08]



Table S1. Cartesian coordinates for selected optimized structures of $Be_6B_7^-$ cluster at the
PBE0/6-311+G(d) level. (a) Global-minimum (GM) C_{2v} (1A_1) cluster. (b)
Sandwich-type C_1 (1A) structure. (c) Helix-type C_2 (1A) structure.

(a) GM Be₆B₇⁻ $C_{2\nu}$ (¹A₁)

В	0.00000000	2.35737400	0.10635000
В	0.00000000	-1.55971000	1.44868100
В	0.00000000	1.55571000	-1.27108600
В	0.00000000	-2.35737400	0.10635000
В	0.00000000	0.00000000	1.72074100
В	0.00000000	-1.55571000	-1.27108600
В	0.00000000	1.55971000	1.44868100
Be	-0.98037100	0.00000000	-1.66425700
Be	-1.24860500	-1.03347100	0.11693100
Be	1.24860500	-1.03347100	0.11693100
Be	0.98037100	0.00000000	-1.66425700
Be	1.24860500	1.03347100	0.11693100
Be	-1.24860500	1.03347100	0.11693100

(b) Sandwich-type C_1 (¹A) structure

В	-0.00030200	-0.00001700	-0.00362100
В	-1.65887500	0.03030800	0.33698900
В	0.85949300	1.42095000	0.32729500
В	0.80488100	-1.45466000	0.31792600
В	-0.85982400	-1.42192800	-0.32639000
В	1.65947900	-0.03025400	-0.33547900

В	-0.80515900	1.45560000	-0.31701800
Be	-0.56123700	1.02657500	1.51164100
Be	-0.59955700	-1.01435900	1.50520900
Be	1.18641200	-0.02728200	1.49860400
Be	-1.18760400	0.02728300	-1.49810600
Be	0.56203400	-1.02697300	-1.51168800
Be	0.60033400	1.01475800	-1.50528800

(c) Helix-type C_2 (¹A) structure

Be	1.32849600	0.04551600	-0.32083600
Be	-1.32849600	-0.04551600	-0.32083600
Be	0.00000000	1.61001500	0.24741300
Be	0.00000000	-1.61001500	0.24741300
В	0.00000000	0.00000000	1.59528600
Be	0.06256500	1.05455300	-1.73444100
Be	-0.06256500	-1.05455300	-1.73444100
В	1.28724800	-0.87560100	1.45995800
В	-1.28724800	0.87560100	1.45995800
В	-1.92320100	1.71315600	0.30968100
В	1.92320100	-1.71315600	0.30968100
В	1.37457800	-1.87048800	-1.12099100
В	-1.37457800	1.87048800	-1.12099100