

Electronic Supplementary Information for:

Hypoxia and temperature dually responsive random copolymers: facile synthesis, self-assembly and controlled release of drug

Chenming Ji^a, Yinlu Deng^a, Hua Yuan^{a*}, Yongzhen Wu^{b*} and Weizhong Yuan^{a*}

^aDepartment of Interventional and Vascular surgery, Shanghai Tenth People's Hospital, School of Materials Science and Engineering, Tongji University, Shanghai 201804, People's Republic of China. E-mail: yuanwz@tongji.edu.cn (W. Yuan), Tel.: +86 21 69580234, Fax: +86 21 69584723.

^bEYE & ENT Hospital of Fudan University, Shanghai 200031, People's Republic of China. E-mail: wuyongzhen_fd@sina.com (Y. Wu)






Fig. S1 ATR FT-IR spectra of (a) P(NIPAM-*co*-AA) and (b) P(NIPAM-*co*-AA-*co*-NIA).






Fig. S2 ^1H NMR spectra of (a) DDMAT, (b) P(NIPAM-*co*-AA) and (b) P(NIPAM-*co*-AA-*co*-NIA).




Fig. S3 GPC traces of (a) P(NIPAM-*co*-AA) and (b) P(NIPAM-*co*-AA-*co*-NIA).