Electronic Supplementary Material (ESI) for New Journal of Chemistry. This journal is © The Royal Society of Chemistry and the Centre National de la Recherche Scientifique 2020

Supporting Information

Synthesis, structure and photoluminescence properties of three copper(I) iodide based inorganic-organic hybrid structures with

pyrazine derivatives

Chanchan Xu,^a Le Lv,^a Dawei Luo^{*,a} and Wei Liu^{*,b}

^a Hoffmann Institute of Advanced Materials, Shenzhen Polytechnic, 7098 Liuxian Blvd, Nanshan District, Shenzhen, 518055, China.

^b School of Chemical Engineering and Technology, Sun Yat-Sen University, Zhuhai
519082, PR China



Figure S1. Structure plot of 2-mo-pz (left), 2,3-dm-pz (middle) and 2,5-dm-pz (right)



Figure S2. PXRD patterns. From bottom to top: simulated 1, as made 1, simulated 2, as made 2, simulated 3, as made 3.



Figure S3. UV absorption plot of **1**.



Figure S4. UV absorption plot of **2**.



Figure S5. UV absorption plot of **3**.



Figure S6. Calculated band structure of **1**.



Figure S7. Calculated band structure of **2**.



Figure S8. Calculated band structure of **3**.



Figure 9. TGA plot of 1.



Figure 11. TGA plot of **3**.

Compound	Experimental weight loss (%)	Theoretical weight loss (%)
1	35.4	36.5
2	23.3	22.4
3	34.4	36.5

Table S1. The experimental and theoretical weight loss of 1, 2 and 3



Figure S12. CIE coordinates of 1 (circle) 2 (square) and 3 (triangle).



Figure S13. Luminescence decay curve of **1**.



Figure S14. Luminescence decay curve of 2.



Figure S15. Luminescence decay curve of **3**



Figure S16. Emission spectra under different excitation wavelengths of 1.



Figure S17. Emission spectra under different excitation wavelengths of **2**.



Figure S18. Emission spectra under different excitation wavelengths of **3**.



Figure S19. Emission spectra under different temperatures of 1.



Figure S20. Emission spectra under different temperatures of 2.



Figure S21. Emission spectra under different temperatures of **3**.