

Supporting Information

Perfluorocarbon Nanodroplets Stabilized with Cisplatin-Prodrug-Constructed Lipids Enables Efficient Tumor Oxygenation and Chemo-Radiotherapy of Cancer

Li Yao^a, Liangzhu Feng^{*b}, Danlei Tao^b, Huiquan Tao^b, Xiaoyan Zhong^b, Chao Liang^b, Yujie Zhu^b, Bing Hu^a, Zhuang Liu^{*b}, Yuanyi Zheng^{*a}

a. Department of Ultrasound in Medicine, Shanghai Jiao Tong University Affiliated Sixth People's Hospital, Shanghai Institute of Ultrasound in Medicine, Shanghai 200233, P.R. China

E-mail: zhengyuanyi@163.com

b. Jiangsu Key Laboratory for Carbon-Based Functional Materials & Devices, Institute of Functional Nano & Soft Materials (FUNSOM), Soochow University, 199 Ren'ai Road, Suzhou, 215123, Jiangsu, PR China

E-mail: lzfeng@suda.edu.cn, zliu@suda.edu.cn




Fig. S1 Relative cell viabilities of 4T1 cells treated with PFCE@cisPt(IV)-Lip, cisPt(IV)@Lip, PFCE@Lip and free cisplatin in hypoxia for 48 h via the standard CCK8 assay.